


## **Presentation map**



©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 - ONS © Crown Copyright 2014




# Local Health

Source: ONS © Crown copyright 2013

Report - Ward: Ashington Central

## **Population**




Source: ONS © Crown copyright 2013

## Population by age group, 2012, numbers

| · · · · · · · · · · · · · · · · · · · |           |                                     |   |            |
|---------------------------------------|-----------|-------------------------------------|---|------------|
| Ages                                  | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England    |
| aged under 16                         | 941       | //                                  | 53,455  | 10,130,226 |
| aged 16-24                            | 623       | //                                  | 30,520  | 6,262,440  |
| aged 25-64                            | 2,693     | //                                  | 165,450   | 28,044,555 |
| aged 65-84                            | 632       | //                                  | 58,376  | 7,836,002  |
| aged 85 and over                      | 121       | //                                  | 8,315   | 1,220,506  |
| Total                                 | 5,010     | //                                  | 316,116   | 53,493,729 |

Source: ONS © Crown copyright 2013

## Age pyramid for selection: male and female numbers per five-year age group, 2012 Males



#### www.localhealth.org.uk

Page 2



## **Ethnicity & Language**

#### Ethnicity & Language indicators, 2011, numbers


| Indicator                                      | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England    |
|--|-----------|-------------------------------------|---|------------|
| Black and Minority Ethnic (BME) Population     | 116       | //                                  | 4,962   | 7,731,314  |
| Population whose ethnicity is not 'White UK'   | 151       | //                                  | 8,931   | 10,733,220 |
| Number who cannot speak English well or at all | 13        | //                                  | 644   | 843,845    |

Source: ONS Census

#### Ethnicity & Language indicators, 2011, %

| Indicator  | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| Black and Minority Ethnic (BME) Population (%)   | 2.3       | //                                  | 1.6   | 14.6    |
| Population whose ethnicity is not 'White UK' (%) | 3         | //                                  | 2.8   | 20.2    |
| Cannot speak English well or at all (%)          | 0.3       | //                                  | 0.2   | 1.7     |

Source: ONS Census





## Deprivation

### Index of Deprivation, 2010, numbers (estimated from MSOA level data)

| Indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|---|-----------|-------------------------------------|---|-----------|
| People living in means tested benefit households    | 1,074     | //                                  | 41,249  | 7,597,605 |
| Children living in income deprived households       | 300       | //                                  | 9,779   | 2,115,946 |
| People aged 60+ living in pension credit households | 199       | //                                  | 13,614  | 2,094,588 |
|   |           |                                     |   |           |


Source: CLG © Copyright 2010

#### Index of Deprivation, 2010, % (estimated from MSOA level data)

| Indicator                       | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|---------------------------------|-----------|-------------------------------------|---|---------|
| Income Deprivation (%)          | 21.8      | //                                  | 13.3  | 14.7    |
| Child Poverty (%)               | 33.7      | //                                  | 18.5  | 21.8    |
| Older People in Deprivation (%) | 18.8      | //                                  | 16  | 18.1    |
|                                 |           |                                     |   |         |

Source: CLG © Copyright 2010

### Index of Deprivation, 2010, %, Selection (comparing to England average)



www.localhealth.org.uk



## **Child Development, Education and Employment**

#### Child development, education and employment indicators, numbers (estimated from MSOA level data)

| Indicator  | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|--|-----------|-------------------------------------|---|-----------|
| Low birth weight births, 2008-2012                   | 29        | //                                  | 1,040   | 251,444   |
| A good level of development at age 5, 2011/12        | 28        | //                                  | 2,135   | 393,090   |
| Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12    | 27        | //                                  | 1,965   | 330,011   |
| Claiming job seekers allowance, 2012/13*             | 314       | //                                  | 8,522   | 1,287,226 |
| Claiming job seekers allowance for > 1 year, 2012/13 | 106       | //                                  | 2,365   | 344,895   |

Source: Public Health England, ONS, NOMIS, DfE


#### \* Monthly average

#### Child development, education and employment indicators, values (estimated from MSOA level data)

| Indicator                                     | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|---|-----------|-------------------------------------|---|---------|
| Low birth weight births (%)                   | 8.3       | //                                  | 6.9   | 7.4     |
| Child development at age 5 (%)                | 63        | //                                  | 67.6  | 63.5    |
| GCSE achievement (5A*-C inc. Eng & Maths) (%) | 44.4      | //                                  | 58.2  | 58.8    |
| Unemployment (JSA claimants) (%)              | 9.5       | //                                  | 4.3   | 3.8     |
| Long term unemployment (JSA) (rate/1,000)     | 32        | //                                  | 12.1  | 10.1    |

Source: Public Health England, ONS, NOMIS, DfE

#### Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE www.localhealth.org.uk



## **Health and Care**

#### Health and care indicators, 2011, numbers

| Indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|---|-----------|-------------------------------------|---|-----------|
| In very bad health                                | 92        | //                                  | 4,359   | 660,749   |
| In bad or very bad health                         | 485       | //                                  | 20,000  | 2,911,195 |
| Having a long term illness or disability          | 1,275     | //                                  | 65,498  | 9,352,586 |
| Provide unpaid care for 1 or more hours per week  | 541       | //                                  | 35,697  | 5,430,016 |
| Provide unpaid care for 50 or more hours per week | 194       | //                                  | 8,840   | 1,256,237 |


Source: ONS Census

#### Health and care indicators, 2011, %

| Indicator  | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| General health very bad (%)                        | 1.9       | //                                  | 1.4   | 1.2     |
| General health bad or very bad (%)                 | 9.8       | //                                  | 6.3   | 5.5     |
| Limiting long term illness or disability (%)       | 25.7      | //                                  | 20.7  | 17.6    |
| Provides 1 hour or more unpaid care per week (%)   | 10.9      | //                                  | 11.3  | 10.2    |
| Provides 50 hours or more unpaid care per week (%) | 3.9       | //                                  | 2.8   | 2.4     |

Source: ONS Census

#### Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census www.localhealth.org.uk



## **Housing and Living Environment**

#### Housing and living environment indicators, 2011, numbers

| Indicator  | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England    |
|--|-----------|-------------------------------------|---|------------|
| Households with central heating                  | 2,309     | //                                  | 136,676   | 21,468,807 |
| Overcrowded households (at least 1 room too few) | 90        | //                                  | 5,004   | 1,928,596  |
| Pensioners living alone                          | 296       | //                                  | 19,407  | 2,725,596  |
|  |           |                                     |   |            |


Source: ONS Census

#### Housing and living environment indicators, 2011, %

| Indicator                           | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|-------------------------------------|-----------|-------------------------------------|---|---------|
| Households with central heating (%) | 99.5      | //                                  | 98.7  | 97.3    |
| Overcrowding (%)                    | 3.9       | //                                  | 3.6   | 8.7     |
| Pensioners living alone (%)         | 40.5      | //                                  | 30.7  | 31.5    |

Source: ONS Census

#### Housing and living environment indicators, 2011, %, Selection (comparing to England average)





## **Children's Weight**

#### Children's weight indicators, 2010/11-2012/13, numbers

| Indicator                                    | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| Obese children (reception year)              | 14        | //                                  | 899   | 159,197 |
| Children with excess weight (reception year) | 22        | //                                  | 2,184   | 380,678 |
| Obese children (year 6)                      | 34        | //                                  | 1,629   | 281,160 |
| Children with excess weight (year 6)         | 49        | //                                  | 2,921   | 494,931 |


Source: Public Health England & HSCIC © 2010-2014

#### Children's weight indicators, 2010/11-2012/13, %

| Indicator                                    | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| Obese children (reception year)              | 11.6      | //                                  | 9.5   | 9.4     |
| Children with excess weight (reception year) | 18.2      | //                                  | 23.2  | 22.5    |
| Obese children (year 6)                      | 29.1      | //                                  | 18.3  | 19.1    |
| Children with excess weight (year 6)         | 41.9      | //                                  | 32.9  | 33.5    |

Source: Public Health England & HSCIC © 2010-2014

### Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014 www.localhealth.org.uk



## Children's health care activity

#### Children's health care activity indicators, numbers (estimated from MSOA level data)

| indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|---|-----------|-------------------------------------|---|-----------|
| Admissions for injuries in under 5s, 2008/9-12/13 | 26        | //                                  | 1,181   | 228,389   |
| Emergency admissions in under 5s, 2010/11-12/13   | 209       | //                                  | 8,129   | 1,500,752 |
| A&E attendances in under 5s, 2010/11-12/13        | 589       | //                                  | 86,060  | 5,096,445 |
| Admissions for injury in under 18s, 2008/9-12/13  | 98        | //                                  | 4,140   | 666,952   |
|   |           |                                     |   |           |


Source: Public Health England, HSCIC © Copyright 2015

#### Children's health care activity indicators, values (estimated from MSOA level data)

| indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|---|-----------|-------------------------------------|---|---------|
| Admissions for injuries in under 5s (rate per 10,000) | 173       | //                                  | 148.5   | 139.6   |
| Emergency admissions in under 5s (rate per 1000)      | 228.2     | //                                  | 169.4   | 150     |
| A&E attendances in under 5s (rate per 1000)           | 641.5     | //                                  | 880.3   | 509.5   |
| Admissions for injury in under 18s (rate per 100,000) | 1,865.4   | //                                  | 1,340.8   | 1,180.9 |
|   |           |                                     |   |         |

Source: Public Health England, HSCIC © Copyright 2015

#### Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015 www.localhealth.org.uk



## **Adults' lifestyle**

#### Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

| Indicator             | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England    |
|-----------------------|-----------|-------------------------------------|---|------------|
| Obese adults          | 1,194     | //                                  | 70,044  | 9,983,436  |
| Binge drinking adults | 1,319     | //                                  | 76,431  | 8,290,798  |
| Healthy eating adults | 719       | //                                  | 62,161  | 11,907,157 |


Source: Public Health England © Copyright 2010

#### Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

| Indicator                 | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|---------------------------|-----------|-------------------------------------|---|---------|
| Obese adults (%)          | 29.3      | //                                  | 27.3  | 24.1    |
| Binge drinking adults (%) | 32.3      | //                                  | 29.8  | 20      |
| Healthy eating adults (%) | 17.6      | //                                  | 24.2  | 28.7    |

Source: Public Health England © Copyright 2010

#### Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



## **Emergency hospital admissions**

#### Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

| Indicator                                    | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England    |
|--|-----------|-------------------------------------|---|------------|
| Emergency hospital admissions for all causes | 4,165     | //                                  | 190,029   | 25,623,623 |
| Emergency hospital admissions for CHD*       | 130       | //                                  | 6,297   | 706,513    |
| Emergency hospital admissions for stroke     | 47        | //                                  | 2,934   | 368,284    |
| Emergency hospital admissions for MI*        | 55        | //                                  | 2,997   | 312,427    |
| Emergency hospital admissions for COPD*      | 148       | //                                  | 5,111   | 552,386    |


Source: Public Health England, HSCIC © Copyright 2014

\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

| Indicator                                    | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| Emergency hospital admissions for all causes | 172.2     | //                                  | 117.5   | 100     |
| Emergency hospital admissions for CHD        | 195.3     | //                                  | 124.9   | 100     |
| Emergency hospital admissions for stroke     | 135.4     | //                                  | 112.9   | 100     |
| Emergency hospital admissions for MI         | 185.3     | //                                  | 134.8   | 100     |
| Emergency hospital admissions for COPD       | 287.1     | //                                  | 127.9   | 100     |

Source: Public Health England, HSCIC © Copyright 2014

#### Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



## **Cancer incidence**

#### Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

| Indicator         | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|-------------------|-----------|-------------------------------------|---|-----------|
| All cancer        | 139       | //                                  | 9,643   | 1,335,034 |
| Breast cancer     | 19        | //                                  | 1,449   | 203,220   |
| Colorectal cancer | 15        | //                                  | 1,263   | 165,022   |
| Lung cancer       | 24        | //                                  | 1,408   | 170,117   |
| Prostate cancer   | 16        | //                                  | 1,173   | 171,557   |


Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

| Indicator         | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|-------------------|-----------|-------------------------------------|---|---------|
| All cancer        | 109.2     | //                                  | 101.4   | 100     |
| Breast cancer     | 93        | //                                  | 100.8   | 100     |
| Colorectal cancer | 93.9      | //                                  | 106.4   | 100     |
| Lung cancer       | 148.2     | //                                  | 114.2   | 100     |
| Prostate cancer   | 104.6     | //                                  | 92.9  | 100     |

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



## Hospital admissions - harm and injury

#### Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

| Indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|---|-----------|-------------------------------------|---|-----------|
| Hospital stays for self harm                      | 125       | //                                  | 3,597   | 515,548   |
| Hospital stays for alcohol related harm           | 849       | //                                  | 44,164  | 5,560,988 |
| Emergency admissions for hip fracture aged 65+    | 38        | //                                  | 2,277   | 310,435   |
| Elective hospital admissions for hip replacement  | 30        | //                                  | 2,608   | 302,413   |
| Elective hospital admissions for knee replacement | 45        | //                                  | 3,320   | 342,546   |


Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

| Indicator   | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|---|-----------|-------------------------------------|---|---------|
| Hospital stays for self harm                      | 254.7     | //                                  | 125.5   | 100     |
| Hospital stays for alcohol related harm           | 161.4     | //                                  | 116.9   | 100     |
| Emergency admissions for hip fracture aged 65+    | 140       | //                                  | 105.7   | 100     |
| Elective hospital admissions for hip replacement  | 106.9     | //                                  | 118.4   | 100     |
| Elective hospital admissions for knee replacement | 142.5     | //                                  | 131.6   | 100     |

Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



## Mortality and causes of death - all ages

#### Causes of deaths - all ages, numbers, 2008-2012

| Indicator               | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England   |
|-------------------------|-----------|-------------------------------------|---|-----------|
| All causes              | 265       | //                                  | 16,593  | 2,315,661 |
| All cancer              | 88        | //                                  | 4,760   | 651,010   |
| All circulatory disease | 69        | //                                  | 4,692   | 686,806   |
| Coronary heart disease  | 34        | //                                  | 2,250   | 320,773   |
| Stroke                  | 20        | //                                  | 1,280   | 178,673   |
| Respiratory diseases    | 53        | //                                  | 2,337   | 327,787   |


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

| Indicator               | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|-------------------------|-----------|-------------------------------------|---|---------|
| All causes              | 127       | //                                  | 103   | 100     |
| All cancer              | 147.7     | //                                  | 102.3   | 100     |
| All circulatory disease | 112.4     | //                                  | 98  | 100     |
| Coronary heart disease  | 116.2     | //                                  | 99.7  | 100     |
| Stroke                  | 124.3     | //                                  | 103.6   | 100     |
| Respiratory diseases    | 181.7     | //                                  | 102.5   | 100     |

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014



## Mortality and causes of death - premature mortality

#### Causes of deaths - premature mortality, numbers, 2008-2012

| Indicator                              | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| All causes, aged under 65              | 63        | //                                  | 2,558   | 391,312 |
| All causes, aged under 75              | 105       | //                                  | 5,364   | 762,945 |
| All cancer, aged under 75              | 52        | //                                  | 2,290   | 310,211 |
| All circulatory disease, aged under 75 | 18        | //                                  | 1,224   | 176,217 |
| Coronary heart disease, aged under 75  | 10        | //                                  | 721   | 99,575  |


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

| Indicator                              | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| All causes, aged under 65              | 160.8     | //                                  | 95.8  | 100     |
| All causes, aged under 75              | 152.7     | //                                  | 98.3  | 100     |
| All cancer, aged under 75              | 186.3     | //                                  | 100.4   | 100     |
| All circulatory disease, aged under 75 | 111.6     | //                                  | 94.9  | 100     |
| Coronary heart disease, aged under 75  | 111.8     | //                                  | 98.1  | 100     |

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014 www.localhealth.org.uk



## Modelled prevalence of young people who smoke

#### Modelled prevalence of young people who smoke, numbers

| indicator                                | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|--|-----------|-------------------------------------|---|---------|
| People aged 11-15 who occasionally smoke | 3         | //                                  | 314   | 45,767  |
| People aged 15 who occasionally smoke    | 2         | //                                  | 179   | 25,778  |
| People aged 16-17 who occasionally smoke | 8         | //                                  | 509   | 77,463  |
| People aged 11-15 who regularly smoke    | 10        | //                                  | 707   | 98,888  |
| People aged 15 who regularly smoke       | 7         | //                                  | 409   | 56,916  |
| People aged 16-17 who regularly smoke    | 31        | //                                  | 1,308   | 194,373 |


Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

#### Modelled prevalence of young people who smoke, values

| indicator                        | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|----------------------------------|-----------|-------------------------------------|---|---------|
| Occasional smoker (%, age 11-15) | 1.2       | //                                  | 1.7   | 1.5     |
| Occasional smoker (%, age 15)    | 3.7       | //                                  | 4.7   | 4       |
| Occasional smoker (%, age 16-17) | 5.5       | //                                  | 6.9   | 5.9     |
| Regular smoker (%, age 11-15)    | 3.9       | //                                  | 3.9   | 3.1     |
| Regular smoker (%, age 15)       | 12.3      | //                                  | 10.7  | 8.7     |
| Regular smoker (%, age 16-17)    | 20        | //                                  | 17.7  | 14.8    |

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

#### Modelled prevalence of young people who smoke, Selection (comparing to England average)



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton




## Life expectancy

#### Life expectancy at birth, years, 2008-2012

| Indicator | Selection | Lower Tier Local<br>Authority<br>() | Upper Tier Local<br>Authority<br>(Northumberland) | England |
|-----------|-----------|-------------------------------------|---|---------|
| Males     | 75.4      | //                                  | 78.8  | 78.9    |
| Females   | 79        | //                                  | 82.2  | 82.8    |

Source: Public Health England, produced from ONS data Copyright © 2014

#### Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014