




Report - Ashington and Blyth Local Area Council

Presentation map




©PHE - © Crown copyright and database rights 2016, Ordnance Survey 100016969 – ONS © Crown Copyright 2016



Report - Ashington and Blyth Local Area Council


Population

Population by age group, 2014
Selection



Source: ONS © Crown copyright 2015 - total: 71,248

Population by age group, 2014
England




Source: ONS © Crown copyright 2015

Population by age group, 2014, numbers

Ages	Selection	Northumberland (Upper Tier Local Authority)	England
aged under 16	13,425	52,570	10,303,556
aged 16-24	7,806	29,668	6,210,192
aged 25-64	36,867	162,605	28,265,162
aged 65-84	11,681	62,508	8,262,192
aged 85 and over	1,469	8,636	1,275,516
Total	71,248	315,987	54,316,618

Source: ONS © Crown copyright 2015

Age pyramid for selection: male and female numbers
per five-year age group, 2014



Source: ONS © Crown Copyright 2015



Report - Ashington and Blyth Local Area Council

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	1,237	4,962	7,731,314
Population whose ethnicity is not 'White UK'	1,820	8,931	10,733,220
Population who cannot speak English well or at all	183	644	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population (%)	1.7	1.6	14.6
Population whose ethnicity is not 'White UK' (%)	2.6	2.8	20.2
Population who cannot speak English well or at all (%)	0.3	0.2	1.7

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report - Ashington and Blyth Local Area Council

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Low birth weight births, 2010-2014	308	934	248,184
A good level of development at age 5, 2013/14	426	1,809	387,000
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2013/14	310	1,765	315,795
Claiming job seekers allowance, 2015/16*	2,020	4,478	612,166
Claiming job seekers allowance for > 1 year, 2015/16*	639	1,308	147,990

Source: Public Health England, ONS, NOMIS, DfE


* Monthly average

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Low birth weight births (%)	6.9	6.4	7.4
Child development at age 5 (%)	50.9	56.7	60.4
GCSE achievement (5A*-C inc. Eng & Maths) (%)	38.2	52.4	56.6
Unemployment (JSA claimants) (%)	4.5	2.3	1.8
Long term unemployment (JSA) (rate/1,000)	14.3	6.8	4.3

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ashington and Blyth Local Area Council

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
General health: very bad	1,322	4,359	660,749
General health: bad or very bad	6,190	20,000	2,911,195
Limiting long term illness or disability	16,703	65,498	9,352,586
Provides unpaid care for 1 or more hours per week	7,961	35,697	5,430,016
Provides unpaid care for 50 or more hours per week	2,449	8,840	1,256,237


Source: ONS Census

Health and care indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
General health very bad (%)	1.9	1.4	1.2
General health bad or very bad (%)	8.7	6.3	5.5
Limiting long term illness or disability (%)	23.4	20.7	17.6
Provides 1 hour or more unpaid care per week (%)	11.2	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	3.4	2.8	2.4

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census
www.localhealth.org.uk



Report - Ashington and Blyth Local Area Council

Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Households with central heating	31,381	136,676	21,468,807
Overcrowded households (at least 1 room too few)	1,364	5,004	1,928,596
Pensioners living alone	4,134	19,407	2,725,596


Source: ONS Census

Housing and living environment indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Households with central heating (%)	99.3	98.7	97.3
Overcrowded households (at least 1 room too few) (%)	4.3	3.6	8.7
Pensioners living alone (%)	34.9	30.7	31.5

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ashington and Blyth Local Area Council

Children's Weight

Children's weight indicators, 2012/13-2014/15, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese children (reception year)	270	880	164,987
Children with excess weight (reception year)	631	2,229	395,264
Obese children (year 6)	485	1,632	291,075
Children with excess weight (year 6)	838	2,919	510,175


Source: Public Health England & HSCIC © 2012-2015

Children's weight indicators, 2012/13-2014/15, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese children (reception year)	10.6	9.3	9.3
Children with excess weight (reception year)	24.8	23.5	22.2
Obese children (year 6)	21.9	18.3	19
Children with excess weight (year 6)	37.8	32.6	33.4

Source: Public Health England & HSCIC © 2012-2015

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2012-2015



Report - Ashington and Blyth Local Area Council

Children's health care activity

Children's health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency admissions in 0-4 year olds (2012/13-14/1	2,729	8,080	1,508,499
A&E attendances in 0-4 year olds (2012/13-14/15)	8,126	27,820	5,463,709
Admissions for injury in 0-4 year olds (2010/11-14/15)	410	1,208	237,295
Admissions for injury in 0-15 year olds (2010/11-14/15)	911	3,036	530,253
Admissions for injury in 15-24 year olds (2010/11-14/1	1,163	3,436	479,780


Source: Public Health England, HSCIC © Copyright 2016

Children's health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency admissions in 0-4 year olds (rate per 1000	203.8	169.4	147.3
A&E attendances in 0-4 year olds (rate per 1000)	606.8	583.3	533.6
Admissions for injury in 0-4 year olds (rate per 10,000)	185.5	151.9	140.8
Admissions for injury in 0-15 year olds (rate per 10,000)	144.4	122.4	111.7
Admissions for injury in 15-24 year olds (rate per 10,000)	261.1	200.8	139.5

Source: Public Health England, HSCIC © Copyright 2016

Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2016



Report - Ashington and Blyth Local Area Council

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese adults	16,566	70,044	9,983,436
Binge drinking adults	17,103	76,431	8,290,798
Healthy eating adults	10,268	62,161	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese adults (%)	29.4	27.3	24.1
Binge drinking adults (%)	30.4	29.8	20
Healthy eating adults (%)	18.3	24.2	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ashington and Blyth Local Area Council

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2010/11 to 2014/15 (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	51,987	186,887	26,462,290
Emergency hospital admissions for CHD*	1,608	5,947	690,158
Emergency hospital admissions for stroke	696	3,107	389,174
Emergency hospital admissions for MI*	724	2,830	322,544
Emergency hospital admissions for COPD*	1,853	5,156	572,993

Source: Public Health England, HSCIC © Copyright 2016


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2010/11 to 2014/15 (est. from MSOA data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	147.9	112.3	100
Emergency hospital admissions for CHD	169.1	120.6	100
Emergency hospital admissions for stroke	133.8	112.5	100
Emergency hospital admissions for MI	163.9	123	100
Emergency hospital admissions for COPD	233.6	123.8	100

Source: Public Health England, HSCIC © Copyright 2016

Emergency Hospital admissions, SARs, 2010/11 to 2014/15, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2016



Report - Ashington and Blyth Local Area Council

Cancer incidence

Cancer incidence, numbers, 2010-2014 (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All cancer	2,134	10,268	1,438,018
Breast cancer	295	1,547	217,374
Colorectal cancer	230	1,297	171,934
Lung cancer	371	1,496	182,547
Prostate cancer	235	1,229	191,596


Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, Standardised Incidence Ratios (SIRs), 2010-2014 (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All cancer	107.2	99.8	100
Breast cancer	96.8	101	100
Colorectal cancer	97.1	104.4	100
Lung cancer	146.7	112.1	100
Prostate cancer	87.7	86.2	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2010-2014, Selection (comparing to England average)



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report - Ashington and Blyth Local Area Council

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2010/11 to 2014/15 (estimated from MSOA level data)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Hospital stays for self harm	1,426	3,613	536,671
Hospital stays for alcohol related harm	3,430	12,908	1,617,761
Emergency admissions for hip fracture aged 65+	411	1,973	279,803
Elective hospital admissions for hip replacement	481	2,925	329,316
Elective hospital admissions for knee replacement	661	3,502	363,154


Source: Public Health England, HSCIC © Copyright 2016

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2010/11 to 2014/15 (est. from MSOA)

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Hospital stays for self harm	204.1	123.1	100
Hospital stays for alcohol related harm	156.1	124.8	100
Emergency admissions for hip fracture aged 65+	116.7	100.6	100
Elective hospital admissions for hip replacement	103.5	121.6	100
Elective hospital admissions for knee replacement	128.2	130.2	100

Source: Public Health England, HSCIC © Copyright 2016

Hospital admissions - harm and injury, SARs, 2010/11 to 2014/15, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2016



Report - Ashington and Blyth Local Area Council

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes		3,821	16,888
All cancer		1,075	4,901
All circulatory disease		976	4,508
Coronary heart disease		476	2,099
Stroke		261	1,231
Respiratory diseases		610	2,340

Source: Public Health England, produced from ONS data Copyright © 2016


Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes		127.8	103.8
All cancer		120.6	103.3
All circulatory disease		117.2	98.1
Coronary heart disease		123.6	99.8
Stroke		123.4	104.2
Respiratory diseases		152	104.7

Source: Public Health England, produced from ONS data Copyright © 2016

Causes of deaths - all ages, SMRs, 2010-2014, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2016



Report - Ashington and Blyth Local Area Council

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes, aged under 65	700	2,529	391,312
All causes, aged under 75	1,418	5,405	762,945
All cancer, aged under 75	552	2,356	310,346
All circulatory disease, aged under 75	296	1,154	176,217
Coronary heart disease, aged under 75	168	658	99,575


Source: Public Health England, produced from ONS data Copyright © 2016

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes, aged under 65	129.9	99.5	100
All causes, aged under 75	131.5	100.4	100
All cancer, aged under 75	122.5	103.1	100
All circulatory disease, aged under 75	121.7	93.6	100
Coronary heart disease, aged under 75	124.2	95.7	100

Source: Public Health England, produced from ONS data Copyright © 2016

Causes of deaths - premature mortality, SMRs, 2010-2014, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2016