




Report - Ward: Cramlington Village

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 – ONS © Crown Copyright 2014



Report - Ward: Cramlington Village


Population

Population by age group, 2012 Selection



Source: ONS © Crown copyright 2013

Population by age group, 2012 England




Source: ONS © Crown copyright 2013

Population by age group, 2012, numbers

| Ages | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|------------------|-----------|-------------------------------|---------------------------------------------|------------|
| aged under 16 | 699 | // | 53,455 | 10,130,226 |
| aged 16-24 | 380 | // | 30,520 | 6,262,440 |
| aged 25-64 | 2,192 | // | 165,450 | 28,044,555 |
| aged 65-84 | 1,036 | // | 58,376 | 7,836,002 |
| aged 85 and over | 191 | // | 8,315 | 1,220,506 |
| Total | 4,498 | // | 316,116 | 53,493,729 |

Source: ONS © Crown copyright 2013

Age pyramid for selection: male and female numbers per five-year age group, 2012



Source: ONS © Crown Copyright 2013



Report - Ward: Cramlington Village

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|------------------------------------------------|-----------|-------------------------------|---------------------------------------------|------------|
| Black and Minority Ethnic (BME) Population | 36 | // | 4,962 | 7,731,314 |
| Population whose ethnicity is not 'White UK' | 97 | // | 8,931 | 10,733,220 |
| Number who cannot speak English well or at all | 9 | // | 644 | 843,845 |


Source: ONS Census

Ethnicity & Language indicators, 2011, %

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|--------------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Black and Minority Ethnic (BME) Population (%) | 0.8 | // | 1.6 | 14.6 |
| Population whose ethnicity is not 'White UK' (%) | 2.2 | // | 2.8 | 20.2 |
| Cannot speak English well or at all (%) | 0.2 | // | 0.2 | 1.7 |

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report - Ward: Cramlington Village

Deprivation

Index of Deprivation, 2010, numbers (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-----------------------------------------------------|-----------|-------------------------------|---------------------------------------------|-----------|
| People living in means tested benefit households | 733 | // | 41,249 | 7,597,605 |
| Children living in income deprived households | 151 | // | 9,779 | 2,115,946 |
| People aged 60+ living in pension credit households | 270 | // | 13,614 | 2,094,588 |

Source: CLG © Copyright 2010


Index of Deprivation, 2010, % (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|---------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Income Deprivation (%) | 16.3 | // | 13.3 | 14.7 |
| Child Poverty (%) | 22.4 | // | 18.5 | 21.8 |
| Older People in Deprivation (%) | 18.6 | // | 16 | 18.1 |

Source: CLG © Copyright 2010

Index of Deprivation, 2010, %, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: CLG © Copyright 2010



Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|------------------------------------------------------|-----------|-------------------------------|---------------------------------------------|-----------|
| Low birth weight births, 2008-2012 | 12 | // | 1,040 | 251,444 |
| A good level of development at age 5, 2011/12 | 19 | // | 2,135 | 393,090 |
| Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12 | 22 | // | 1,965 | 330,011 |
| Claiming job seekers allowance, 2012/13* | 136 | // | 8,522 | 1,287,226 |
| Claiming job seekers allowance for > 1 year, 2012/13 | 37 | // | 2,365 | 344,895 |

Source: Public Health England, ONS, NOMIS, DfE


* Monthly average

Child development, education and employment indicators, values (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-----------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Low birth weight births (%) | 7 | // | 6.9 | 7.4 |
| Child development at age 5 (%) | 64.7 | // | 67.6 | 63.5 |
| GCSE achievement (5A*-C inc. Eng & Maths) (%) | 57.1 | // | 58.2 | 58.8 |
| Unemployment (JSA claimants) (%) | 5.3 | // | 4.3 | 3.8 |
| Long term unemployment (JSA) (rate/1,000) | 14.4 | // | 12.1 | 10.1 |

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward: Cramlington Village

Health and Care

Health and care indicators, 2011, numbers

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|---------------------------------------------------|-----------|-------------------------------|---------------------------------------------|-----------|
| In very bad health | 67 | // | 4,359 | 660,749 |
| In bad or very bad health | 314 | // | 20,000 | 2,911,195 |
| Having a long term illness or disability | 1,042 | // | 65,498 | 9,352,586 |
| Provide unpaid care for 1 or more hours per week | 538 | // | 35,697 | 5,430,016 |
| Provide unpaid care for 50 or more hours per week | 120 | // | 8,840 | 1,256,237 |


Source: ONS Census

Health and care indicators, 2011, %

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|----------------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| General health very bad (%) | 1.5 | // | 1.4 | 1.2 |
| General health bad or very bad (%) | 7 | // | 6.3 | 5.5 |
| Limiting long term illness or disability (%) | 23.1 | // | 20.7 | 17.6 |
| Provides 1 hour or more unpaid care per week (%) | 11.9 | // | 11.3 | 10.2 |
| Provides 50 hours or more unpaid care per week (%) | 2.7 | // | 2.8 | 2.4 |

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census
www.localhealth.org.uk



Housing and Living Environment

Housing and living environment indicators, 2011, numbers

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|--------------------------------------------------|-----------|-------------------------------|---------------------------------------------|------------|
| Households with central heating | 2,019 | // | 136,676 | 21,468,807 |
| Overcrowded households (at least 1 room too few) | 98 | // | 5,004 | 1,928,596 |
| Pensioners living alone | 324 | // | 19,407 | 2,725,596 |


Source: ONS Census

Housing and living environment indicators, 2011, %

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Households with central heating (%) | 99.5 | // | 98.7 | 97.3 |
| Overcrowding (%) | 4.8 | // | 3.6 | 8.7 |
| Pensioners living alone (%) | 27.9 | // | 30.7 | 31.5 |

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ward: Cramlington Village

Children's Weight

Children's weight indicators, 2010/11-2012/13, numbers

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|----------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Obese children (reception year) | 10 | // | 899 | 159,197 |
| Children with excess weight (reception year) | 25 | // | 2,184 | 380,678 |
| Obese children (year 6) | 25 | // | 1,629 | 281,160 |
| Children with excess weight (year 6) | 41 | // | 2,921 | 494,931 |


Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, 2010/11-2012/13, %

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|----------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Obese children (reception year) | 8.5 | // | 9.5 | 9.4 |
| Children with excess weight (reception year) | 21.2 | // | 23.2 | 22.5 |
| Obese children (year 6) | 20.3 | // | 18.3 | 19.1 |
| Children with excess weight (year 6) | 33.3 | // | 32.9 | 33.5 |

Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014



Report - Ward: Cramlington Village

Children's health care activity

Children's health care activity indicators, numbers (estimated from MSOA level data)

| indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|---------------------------------------------------|-----------|-------------------------------|---------------------------------------------|-----------|
| Admissions for injuries in under 5s, 2008/9-12/13 | 14 | // | 1,181 | 228,389 |
| Emergency admissions in under 5s, 2010/11-12/13 | 108 | // | 8,129 | 1,500,752 |
| A&E attendances in under 5s, 2010/11-12/13 | 249 | // | 86,060 | 5,096,445 |
| Admissions for injury in under 18s, 2008/9-12/13 | 54 | // | 4,140 | 666,952 |


Source: Public Health England, HSCIC © Copyright 2015

Children's health care activity indicators, values (estimated from MSOA level data)

| indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-------------------------------------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Admissions for injuries in under 5s (rate per 10,000) | 151.3 | // | 148.5 | 139.6 |
| Emergency admissions in under 5s (rate per 1000) | 184.1 | // | 169.4 | 150 |
| A&E attendances in under 5s (rate per 1000) | 423.1 | // | 880.3 | 509.5 |
| Admissions for injury in under 18s (rate per 100,000) | 1,369.4 | // | 1,340.8 | 1,180.9 |

Source: Public Health England, HSCIC © Copyright 2015

Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015



Report - Ward: Cramlington Village

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-----------------------|-----------|-------------------------------|---------------------------------------------|------------|
| Obese adults | 1,134 | // | 70,044 | 9,983,436 |
| Binge drinking adults | 1,172 | // | 76,431 | 8,290,798 |
| Healthy eating adults | 772 | // | 62,161 | 11,907,157 |


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|---------------------------|-----------|-------------------------------|---------------------------------------------|---------|
| Obese adults (%) | 29.7 | // | 27.3 | 24.1 |
| Binge drinking adults (%) | 30.7 | // | 29.8 | 20 |
| Healthy eating adults (%) | 20.2 | // | 24.2 | 28.7 |

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward: Cramlington Village

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD*', 'stroke', 'MI*', and 'COPD*'.

Source: Public Health England, HSCIC © Copyright 2014

* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease


Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD', 'stroke', 'MI', and 'COPD'.

Source: Public Health England, HSCIC © Copyright 2014

Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)

Legend: Green for 'Significantly better than England', Yellow for 'Not significantly different', Red for 'Significantly worse than England'



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Cramlington Village

Cancer incidence

Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England | |
|-------------------|-----------|-------------------------------|---------------------------------------------|---------|-----------|
| All cancer | | 130 | // | 9,643 | 1,335,034 |
| Breast cancer | | 23 | // | 1,449 | 203,220 |
| Colorectal cancer | | 16 | // | 1,263 | 165,022 |
| Lung cancer | | 19 | // | 1,408 | 170,117 |
| Prostate cancer | | 11 | // | 1,173 | 171,557 |

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams


Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England | |
|-------------------|-----------|-------------------------------|---------------------------------------------|---------|-----|
| All cancer | | 103.2 | // | 101.4 | 100 |
| Breast cancer | | 117.6 | // | 100.8 | 100 |
| Colorectal cancer | | 102.1 | // | 106.4 | 100 |
| Lung cancer | | 119.5 | // | 114.2 | 100 |
| Prostate cancer | | 65.6 | // | 92.9 | 100 |

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report - Ward: Cramlington Village

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include hospital stays for self harm, alcohol related harm, and emergency/elective admissions for hip and knee replacement.

Source: Public Health England, HSCIC © Copyright 2014


Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include SARs for hospital stays and emergency/elective admissions for hip and knee replacement.

Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)

Legend: Green = Significantly better than England, Yellow = Not significantly different, Red = Significantly worse than England



Source: Public Health England, HSCIC © Copyright 2014



Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)

Legend: Green for Significantly better than England, Yellow for Not significantly different, Red for Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2014



Report - Ward: Cramlington Village

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65, All causes, aged under 75, All cancer, aged under 75, All circulatory disease, aged under 75, and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65, All causes, aged under 75, All cancer, aged under 75, All circulatory disease, aged under 75, and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)

Legend: Green for Significantly better than England, Yellow for Not significantly different, Red for Significantly worse than England.



Source: Public Health England, produced from ONS data Copyright © 2014



Modelled prevalence of young people who smoke

Modelled prevalence of young people who smoke, numbers

Table with 5 columns: indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Northumberland), and England. Rows include categories like 'People aged 11-15 who occasionally smoke'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton


Modelled prevalence of young people who smoke, values

Table with 5 columns: indicator, Selection, Lower Tier Local Authority (), Upper Tier Local Authority (Northumberland), and England. Rows include categories like 'Occasional smoker (% age 11-15)'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

Modelled prevalence of young people who smoke, Selection (comparing to England average)

Legend: Significantly better than England (green), Not significantly different (yellow), Significantly worse than England (red), England (grey)



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton



Report - Ward: Cramlington Village

Life expectancy


Life expectancy at birth, years, 2008-2012

| Indicator | Selection | Lower Tier Local Authority () | Upper Tier Local Authority (Northumberland) | England |
|-----------|-----------|-------------------------------|---------------------------------------------|---------|
| Males | 78.2 | // | 78.8 | 78.9 |
| Females | 80.6 | // | 82.2 | 82.8 |

Source: Public Health England, produced from ONS data Copyright © 2014

Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: Public Health England, produced from ONS data Copyright © 2014