




Report: Blyth Valley

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 – ONS © Crown Copyright 2014



Report: Blyth Valley


Population

Population by age group, 2014
Selection



Source: ONS © Crown copyright 2015 - total: 82,253

Population by age group, 2014
England




Source: ONS © Crown copyright 2015

Population by age group, 2014, numbers

Ages	Selection	Northumberland (Upper Tier Local Authority)	England
aged under 16	14,733	52,570	10,303,556
aged 16-24	8,272	29,668	6,210,192
aged 25-64	43,017	162,605	28,265,162
aged 65-84	14,468	62,508	8,262,192
aged 85 and over	1,763	8,636	1,275,516
Total	82,253	315,987	54,316,618

Source: ONS © Crown copyright 2015

Age pyramid for selection: male and female numbers
per five-year age group, 2014



Source: ONS © Crown Copyright 2015



Report: Blyth Valley

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population	1,103	4,962	7,731,314
Population whose ethnicity is not 'White UK'	1,837	8,931	10,733,220
Population who cannot speak English well or at all	159	644	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Black and Minority Ethnic (BME) Population (%)	1.3	1.6	14.6
Population whose ethnicity is not 'White UK' (%)	2.2	2.8	20.2
Population who cannot speak English well or at all (%)	0.2	0.2	1.7

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report: Blyth Valley

Deprivation

Index of Deprivation, 2015, Score

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
IMD 2015 Score	//	20.5	21.8

Source: CLG © Copyright 2015

Index of Deprivation, 2015, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
People living in means tested benefit households	13,825	43,022	7,790,217
Children living in income deprived households	3,373	9,919	2,016,116
People aged 60+ living in pension credit households	3,463	12,085	1,954,600


Source: CLG © Copyright 2015

Index of Deprivation, 2015, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Income Deprivation (%)	16.8	13.7	14.6
Child Poverty (%)	22.6	18.6	19.9
Older People in Deprivation (%)	16.4	13.4	16.2

Source: CLG © Copyright 2015

Index of Deprivation, 2015, %, Selection (comparing to England average)



Source: CLG © Copyright 2015



Child Development, Education and Employment

Child development, education and employment indicators, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Low birth weight births, 2010-2014	284	934	248,184
A good level of development at age 5, 2013/14	479	1,809	387,000
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2013/14	438	1,765	315,795
Claiming job seekers allowance, 2015/16*	1,611	4,478	612,166
Claiming job seekers allowance for > 1 year, 2015/16*	457	1,308	147,990

Source: Public Health England, ONS, NOMIS, DfE


* Monthly average

Child development, education and employment indicators, values

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Low birth weight births (%)	6.2	6.4	7.4
Child development at age 5 (%)	52.2	56.7	60.4
GCSE achievement (5A*-C inc. Eng & Maths) (%)	46.6	52.4	56.6
Unemployment (JSA claimants) (%)	3.1	2.3	1.8
Long term unemployment (JSA) (rate/1,000)	8.9	6.8	4.3

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report: Blyth Valley

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
General health: very bad	1,276	4,359	660,749
General health: bad or very bad	5,829	20,000	2,911,195
Limiting long term illness or disability	17,380	65,498	9,352,586
Provides unpaid care for 1 or more hours per week	9,114	35,697	5,430,016
Provides unpaid care for 50 or more hours per week	2,498	8,840	1,256,237


Source: ONS Census

Health and care indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
General health very bad (%)	1.6	1.4	1.2
General health bad or very bad (%)	7.1	6.3	5.5
Limiting long term illness or disability (%)	21.2	20.7	17.6
Provides 1 hour or more unpaid care per week (%)	11.1	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	3	2.8	2.4

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Households with central heating	35,755	136,676	21,468,807
Overcrowded households (at least 1 room too few)	1,530	5,004	1,928,596
Pensioners living alone	4,561	19,407	2,725,596


Source: ONS Census

Housing and living environment indicators, 2011, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Households with central heating (%)	99.2	98.7	97.3
Overcrowded households (at least 1 room too few) (%)	4.2	3.6	8.7
Pensioners living alone (%)	32.4	30.7	31.5

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report: Blyth Valley

Children's Weight

Children's weight indicators, 2012/13-2014/15, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese children (reception year)	280	880	164,987
Children with excess weight (reception year)	647	2,229	395,264
Obese children (year 6)	489	1,632	291,075
Children with excess weight (year 6)	891	2,919	510,175


Source: Public Health England & HSCIC © 2012-2015

Children's weight indicators, 2012/13-2014/15, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese children (reception year)	10.3	9.3	9.3
Children with excess weight (reception year)	23.8	23.5	22.2
Obese children (year 6)	19.4	18.3	19
Children with excess weight (year 6)	35.4	32.6	33.4

Source: Public Health England & HSCIC © 2012-2015

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2012-2015



Report: Blyth Valley

Children's health care activity

Children's health care activity indicators, numbers

indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency admissions in 0-4 year olds (2012/13-14/1	2,608	8,080	1,508,499
A&E attendances in 0-4 year olds (2012/13-14/15)	7,025	27,820	5,463,709
Admissions for injury in 0-4 year olds (2010/11-14/15)	374	1,208	237,295
Admissions for injury in 0-15 year olds (2010/11-14/15)	883	3,036	530,253
Admissions for injury in 15-24 year olds (2010/11-14/1	962	3,436	479,780


Source: Public Health England, HSCIC © Copyright 2016

Children's health care activity indicators, values

indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency admissions in 0-4 year olds (rate per 1000	186.6	169.4	147.3
A&E attendances in 0-4 year olds (rate per 1000)	502.6	583.3	533.6
Admissions for injury in 0-4 year olds (rate per 10,000)	161.8	151.9	140.8
Admissions for injury in 0-15 year olds (rate per 10,000)	127.3	122.4	111.7
Admissions for injury in 15-24 year olds (rate per 10,000)	201.4	200.8	139.5

Source: Public Health England, HSCIC © Copyright 2016

Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2016



Report: Blyth Valley

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese adults	19,775	70,044	9,983,436
Binge drinking adults	20,300	76,431	8,290,798
Healthy eating adults	13,691	62,161	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, %

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Obese adults (%)	29.9	27.3	24.1
Binge drinking adults (%)	30.7	29.8	20
Healthy eating adults (%)	20.7	24.2	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report: Blyth Valley

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2010/11-2014/15

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	52,152	186,887	26,462,290
Emergency hospital admissions for CHD*	1,579	5,947	690,158
Emergency hospital admissions for stroke	791	3,107	389,174
Emergency hospital admissions for MI*	738	2,830	322,544
Emergency hospital admissions for COPD*	1,431	5,156	572,993

Source: Public Health England, HSCIC © Copyright 2016


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2010/11-2014/15

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Emergency hospital admissions for all causes	127.9	112.3	100
Emergency hospital admissions for CHD	138.3	120.6	100
Emergency hospital admissions for stroke	127.8	112.5	100
Emergency hospital admissions for MI	139.3	123	100
Emergency hospital admissions for COPD	150	123.8	100

Source: Public Health England, HSCIC © Copyright 2016

Emergency Hospital admissions, SARs, 2010/11 to 2014/15, Selection (comparing to England average)

■ Significantly better than England
■ Not significantly different
■ Significantly worse than England


Source: Public Health England, HSCIC © Copyright 2016



Report: Blyth Valley

Cancer incidence

Cancer incidence, numbers, 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All cancer	2,571	10,268	1,438,018
Breast cancer	407	1,547	217,374
Colorectal cancer	277	1,297	171,934
Lung cancer	404	1,496	182,547
Prostate cancer	267	1,229	191,596

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams


Cancer incidence, Standardised Incidence Ratios (SIRs), 2010-14

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All cancer	107.5	99.8	100
Breast cancer	110.4	101	100
Colorectal cancer	97.4	104.4	100
Lung cancer	132.8	112.1	100
Prostate cancer	82.4	86.2	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2010-2014, Selection (comparing to England average)

Significantly better than England Not significantly different Significantly worse than England



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report: Blyth Valley

Hospital admissions - harm and injury**Hospital admissions - harm and injury, numbers, 2010/11-2014/15**

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Hospital stays for self harm	1,046	3,613	536,671
Hospital stays for alcohol related harm	3,444	12,908	1,617,761
Emergency admissions for hip fracture aged 65+	483	1,973	279,803
Elective hospital admissions for hip replacement	657	2,925	329,316
Elective hospital admissions for knee replacement	818	3,502	363,154

Source: Public Health England, HSCIC © Copyright 2016

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2010/11-2014/15

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
Hospital stays for self harm	132.2	123.1	100
Hospital stays for alcohol related harm	132.8	124.8	100
Emergency admissions for hip fracture aged 65+	116.2	100.6	100
Elective hospital admissions for hip replacement	116.8	121.6	100
Elective hospital admissions for knee replacement	130.5	130.2	100


Source: Public Health England, HSCIC © Copyright 2016

Hospital admissions - harm and injury, SARs, 2010/11 to 2014/15, Selection (comparing to England average)

Significantly better than England

Not significantly different

Significantly worse than England



Source: Public Health England, HSCIC © Copyright 2016



Report: Blyth Valley

Mortality and causes of death - all ages**Causes of deaths - all ages, numbers, 2010-14**

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes	4,138	16,888	2,323,083
All cancer	1,234	4,901	660,879
All circulatory disease	1,042	4,508	686,806
Coronary heart disease	462	2,099	320,773
Stroke	304	1,231	178,673
Respiratory diseases	600	2,340	318,650

Source: Public Health England, produced from ONS data Copyright © 2016


Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes	115.6	103.8	100
All cancer	115.1	103.3	100
All circulatory disease	104.5	98.1	100
Coronary heart disease	100.2	99.8	100
Stroke	120.4	104.2	100
Respiratory diseases	124.7	104.7	100

Source: Public Health England, produced from ONS data Copyright © 2016

Causes of deaths - all ages, SMRs, 2010-2014, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2016



Report: Blyth Valley

Mortality and causes of death - premature mortality**Causes of deaths - premature mortality, numbers, 2010-2014**

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes, aged under 65	724	2,529	391,312
All causes, aged under 75	1,493	5,405	762,945
All cancer, aged under 75	622	2,356	310,346
All circulatory disease, aged under 75	322	1,154	176,217
Coronary heart disease, aged under 75	167	658	99,575

Source: Public Health England, produced from ONS data Copyright © 2016


Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2010-2014

Indicator	Selection	Northumberland (Upper Tier Local Authority)	England
All causes, aged under 65	111.3	99.5	100
All causes, aged under 75	113.5	100.4	100
All cancer, aged under 75	112.2	103.1	100
All circulatory disease, aged under 75	107.9	93.6	100
Coronary heart disease, aged under 75	100.4	95.7	100

Source: Public Health England, produced from ONS data Copyright © 2016

Causes of deaths - premature mortality, SMRs, 2010-2014, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2016