



Report - Ward: Longhoughton

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 – ONS © Crown Copyright 2014



Report - Ward: Longhoughton

Population

Population by age group, 2012 Selection



Source: ONS © Crown copyright 2013

Population by age group, 2012 England




Source: ONS © Crown copyright 2013

Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
aged under 16	797	//	53,455	10,130,226
aged 16-24	482	//	30,520	6,262,440
aged 25-64	2,526	//	165,450	28,044,555
aged 65-84	874	//	58,376	7,836,002
aged 85 and over	100	//	8,315	1,220,506
Total	4,779	//	316,116	53,493,729

Source: ONS © Crown copyright 2013

Age pyramid for selection: male and female numbers per five-year age group, 2012



Source: ONS © Crown Copyright 2013



Report - Ward: Longhoughton

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Black and Minority Ethnic (BME) Population	54	//	4,962	7,731,314
Population whose ethnicity is not 'White UK'	107	//	8,931	10,733,220
Number who cannot speak English well or at all	2	//	644	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Black and Minority Ethnic (BME) Population (%)	1.1	//	1.6	14.6
Population whose ethnicity is not 'White UK' (%)	2.3	//	2.8	20.2
Cannot speak English well or at all (%)	0	//	0.2	1.7

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report - Ward: Longhoughton

Deprivation

Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
People living in means tested benefit households	294	//	41,249	7,597,605
Children living in income deprived households	40	//	9,779	2,115,946
People aged 60+ living in pension credit households	147	//	13,614	2,094,588

Source: CLG © Copyright 2010


Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Income Deprivation (%)	6.5	//	13.3	14.7
Child Poverty (%)	5.1	//	18.5	21.8
Older People in Deprivation (%)	11.9	//	16	18.1

Source: CLG © Copyright 2010

Index of Deprivation, 2010, %, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: CLG © Copyright 2010



Report - Ward: Longhoughton

Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Low birth weight births, 2008-2012	10	//	1,040	251,444
A good level of development at age 5, 2011/12	32	//	2,135	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	29	//	1,965	330,011
Claiming job seekers allowance, 2012/13*	50	//	8,522	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13	7	//	2,365	344,895

Source: Public Health England, ONS, NOMIS, DfE


* Monthly average

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Low birth weight births (%)	4.9	//	6.9	7.4
Child development at age 5 (%)	74.9	//	67.6	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	68.7	//	58.2	58.8
Unemployment (JSA claimants) (%)	1.7	//	4.3	3.8
Long term unemployment (JSA) (rate/1,000)	2.3	//	12.1	10.1

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward: Longhoughton

Health and Care

Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
In very bad health	50	//	4,359	660,749
In bad or very bad health	191	//	20,000	2,911,195
Having a long term illness or disability	771	//	65,498	9,352,586
Provide unpaid care for 1 or more hours per week	509	//	35,697	5,430,016
Provide unpaid care for 50 or more hours per week	106	//	8,840	1,256,237


Source: ONS Census

Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
General health very bad (%)	1.1	//	1.4	1.2
General health bad or very bad (%)	4.1	//	6.3	5.5
Limiting long term illness or disability (%)	16.4	//	20.7	17.6
Provides 1 hour or more unpaid care per week (%)	10.8	//	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	2.2	//	2.8	2.4

Source: ONS Census

Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census
www.localhealth.org.uk



Report - Ward: Longhoughton

Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Households with central heating	1,851	//	136,676	21,468,807
Overcrowded households (at least 1 room too few)	53	//	5,004	1,928,596
Pensioners living alone	226	//	19,407	2,725,596


Source: ONS Census

Housing and living environment indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Households with central heating (%)	96.3	//	98.7	97.3
Overcrowding (%)	2.8	//	3.6	8.7
Pensioners living alone (%)	23.8	//	30.7	31.5

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ward: Longhoughton

Children's Weight

Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese children (reception year)	//	//	899	159,197
Children with excess weight (reception year)	//	//	2,184	380,678
Obese children (year 6)	//	//	1,629	281,160
Children with excess weight (year 6)	//	//	2,921	494,931


Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese children (reception year)	//	//	9.5	9.4
Children with excess weight (reception year)	//	//	23.2	22.5
Obese children (year 6)	//	//	18.3	19.1
Children with excess weight (year 6)	//	//	32.9	33.5

Source: Public Health England & HSCIC © 2010-2014

Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014



Report - Ward: Longhoughton

Children’s health care activity

Children’s health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Admissions for injuries in under 5s, 2008/9-12/13	11	//	1,181	228,389
Emergency admissions in under 5s, 2010/11-12/13	119	//	8,129	1,500,752
A&E attendances in under 5s, 2010/11-12/13	620	//	86,060	5,096,445
Admissions for injury in under 18s, 2008/9-12/13	41	//	4,140	666,952


Source: Public Health England, HSCIC © Copyright 2015

Children’s health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Admissions for injuries in under 5s (rate per 10,000)	98	//	148.5	139.6
Emergency admissions in under 5s (rate per 1000)	170.1	//	169.4	150
A&E attendances in under 5s (rate per 1000)	890	//	880.3	509.5
Admissions for injury in under 18s (rate per 100,000)	916.2	//	1,340.8	1,180.9

Source: Public Health England, HSCIC © Copyright 2015

Children’s health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015



Report - Ward: Longhoughton

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese adults	907	//	70,044	9,983,436
Binge drinking adults	940	//	76,431	8,290,798
Healthy eating adults	1,171	//	62,161	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese adults (%)	24.5	//	27.3	24.1
Binge drinking adults (%)	25.4	//	29.8	20
Healthy eating adults (%)	31.7	//	24.2	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward: Longhoughton

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD*', 'stroke', 'MI*', and 'COPD*'.

Source: Public Health England, HSCIC © Copyright 2014


* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD', 'stroke', 'MI', and 'COPD'.

Source: Public Health England, HSCIC © Copyright 2014

Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Longhoughton

Cancer incidence

Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England	
All cancer		163	//	9,643	1,335,034
Breast cancer		23	//	1,449	203,220
Colorectal cancer		25	//	1,263	165,022
Lung cancer		17	//	1,408	170,117
Prostate cancer		22	//	1,173	171,557

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams


Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England	
All cancer		99.7	//	101.4	100
Breast cancer		101.2	//	100.8	100
Colorectal cancer		121.6	//	106.4	100
Lung cancer		78.8	//	114.2	100
Prostate cancer		94.8	//	92.9	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report - Ward: Longhoughton

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include hospital stays for self harm, alcohol related harm, and emergency/elective admissions for hip and knee replacements.


Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include SARs for hospital stays and emergency/elective admissions for hip and knee replacements.

Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Longhoughton

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
All causes	230	//	16,593	2,315,661
All cancer	52	//	4,760	651,010
All circulatory disease	67	//	4,692	686,806
Coronary heart disease	28	//	2,250	320,773
Stroke	12	//	1,280	178,673
Respiratory diseases	30	//	2,337	327,787

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
All causes	100.7	//	103	100
All cancer	77.9	//	102.3	100
All circulatory disease	99.1	//	98	100
Coronary heart disease	87.1	//	99.7	100
Stroke	70.2	//	103.6	100
Respiratory diseases	94.7	//	102.5	100

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: Public Health England, produced from ONS data Copyright © 2014



Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.


Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014



Report - Ward: Longhoughton

Modelled prevalence of young people who smoke

Modelled prevalence of young people who smoke, numbers

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
People aged 11-15 who occasionally smoke	6	//	314	45,767
People aged 15 who occasionally smoke	5	//	179	25,778
People aged 16-17 who occasionally smoke	10	//	509	77,463
People aged 11-15 who regularly smoke	12	//	707	98,888
People aged 15 who regularly smoke	9	//	409	56,916
People aged 16-17 who regularly smoke	23	//	1,308	194,373

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton


Modelled prevalence of young people who smoke, values

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Occasional smoker (% age 11-15)	2.3	//	1.7	1.5
Occasional smoker (% age 15)	6.6	//	4.7	4
Occasional smoker (% age 16-17)	9.8	//	6.9	5.9
Regular smoker (% age 11-15)	4.4	//	3.9	3.1
Regular smoker (% age 15)	13	//	10.7	8.7
Regular smoker (% age 16-17)	21.4	//	17.7	14.8

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

Modelled prevalence of young people who smoke, Selection (comparing to England average)

Significantly better than England Not significantly different Significantly worse than England England



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton



Report - Ward: Longhoughton

Life expectancy


Life expectancy at birth, years, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Males	80.5	//	78.8	78.9
Females	82.9	//	82.2	82.8

Source: Public Health England, produced from ONS data Copyright © 2014

Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England
 ■ England



Source: Public Health England, produced from ONS data Copyright © 2014