




Report - Ward: Shilbottle

Presentation map




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 – ONS © Crown Copyright 2014



Report - Ward: Shilbottle

Population

Population by age group, 2012 Selection



Source: ONS © Crown copyright 2013

Population by age group, 2012 England




Source: ONS © Crown copyright 2013

Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
aged under 16	791	//	53,455	10,130,226
aged 16-24	394	//	30,520	6,262,440
aged 25-64	2,597	//	165,450	28,044,555
aged 65-84	1,041	//	58,376	7,836,002
aged 85 and over	104	//	8,315	1,220,506
Total	4,927	//	316,116	53,493,729

Source: ONS © Crown copyright 2013

Age pyramid for selection: male and female numbers per five-year age group, 2012



Source: ONS © Crown Copyright 2013



Report - Ward: Shilbottle

Ethnicity & Language

Ethnicity & Language indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Black and Minority Ethnic (BME) Population	23	//	4,962	7,731,314
Population whose ethnicity is not 'White UK'	78	//	8,931	10,733,220
Number who cannot speak English well or at all	7	//	644	843,845


Source: ONS Census

Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Black and Minority Ethnic (BME) Population (%)	0.5	//	1.6	14.6
Population whose ethnicity is not 'White UK' (%)	1.6	//	2.8	20.2
Cannot speak English well or at all (%)	0.1	//	0.2	1.7

Source: ONS Census

Ethnicity & Language indicators, 2011, %, Selection



Source: ONS Census



Report - Ward: Shilbottle

Deprivation

Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
People living in means tested benefit households	545	//	41,249	7,597,605
Children living in income deprived households	129	//	9,779	2,115,946
People aged 60+ living in pension credit households	211	//	13,614	2,094,588

Source: CLG © Copyright 2010


Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Income Deprivation (%)	11	//	13.3	14.7
Child Poverty (%)	15.6	//	18.5	21.8
Older People in Deprivation (%)	14.4	//	16	18.1

Source: CLG © Copyright 2010

Index of Deprivation, 2010, %, Selection (comparing to England average)

■ Significantly better than England    
 ■ Not significantly different    
 ■ Significantly worse than England    
 ■ England



Source: CLG © Copyright 2010



Child Development, Education and Employment

Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Low birth weight births, 2008-2012	15	//	1,040	251,444
A good level of development at age 5, 2011/12	34	//	2,135	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	31	//	1,965	330,011
Claiming job seekers allowance, 2012/13*	105	//	8,522	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13	24	//	2,365	344,895

Source: Public Health England, ONS, NOMIS, DfE


\* Monthly average

Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Low birth weight births (%)	7.7	//	6.9	7.4
Child development at age 5 (%)	69.5	//	67.6	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	57.4	//	58.2	58.8
Unemployment (JSA claimants) (%)	3.5	//	4.3	3.8
Long term unemployment (JSA) (rate/1,000)	7.9	//	12.1	10.1

Source: Public Health England, ONS, NOMIS, DfE

Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE



Report - Ward: Shilbottle

## Health and Care

### Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
In very bad health	56	//	4,359	660,749
In bad or very bad health	242	//	20,000	2,911,195
Having a long term illness or disability	894	//	65,498	9,352,586
Provide unpaid care for 1 or more hours per week	613	//	35,697	5,430,016
Provide unpaid care for 50 or more hours per week	131	//	8,840	1,256,237


Source: ONS Census

### Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
General health very bad (%)	1.1	//	1.4	1.2
General health bad or very bad (%)	4.9	//	6.3	5.5
Limiting long term illness or disability (%)	18.2	//	20.7	17.6
Provides 1 hour or more unpaid care per week (%)	12.4	//	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	2.7	//	2.8	2.4

Source: ONS Census

### Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census  
www.localhealth.org.uk



Report - Ward: Shilbottle

Housing and Living Environment

Housing and living environment indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Households with central heating	2,088	//	136,676	21,468,807
Overcrowded households (at least 1 room too few)	55	//	5,004	1,928,596
Pensioners living alone	296	//	19,407	2,725,596


Source: ONS Census

Housing and living environment indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Households with central heating (%)	98.8	//	98.7	97.3
Overcrowding (%)	2.6	//	3.6	8.7
Pensioners living alone (%)	27.6	//	30.7	31.5

Source: ONS Census

Housing and living environment indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census



Report - Ward: Shilbottle

## Children's Weight

### Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese children (reception year)	//	//	899	159,197
Children with excess weight (reception year)	9	//	2,184	380,678
Obese children (year 6)	11	//	1,629	281,160
Children with excess weight (year 6)	23	//	2,921	494,931


Source: Public Health England & HSCIC © 2010-2014

### Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese children (reception year)	//	//	9.5	9.4
Children with excess weight (reception year)	8.3	//	23.2	22.5
Obese children (year 6)	9.8	//	18.3	19.1
Children with excess weight (year 6)	20.5	//	32.9	33.5

Source: Public Health England & HSCIC © 2010-2014

### Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014





Report - Ward: Shilbottle

## Children's health care activity

### Children's health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Admissions for injuries in under 5s, 2008/9-12/13		16	//	1,181
Emergency admissions in under 5s, 2010/11-12/13		94	//	8,129
A&E attendances in under 5s, 2010/11-12/13		400	//	86,060
Admissions for injury in under 18s, 2008/9-12/13		56	//	4,140


Source: Public Health England, HSCIC © Copyright 2015

### Children's health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Admissions for injuries in under 5s (rate per 10,000)		141.3	//	148.5
Emergency admissions in under 5s (rate per 1000)		144.1	//	169.4
A&E attendances in under 5s (rate per 1000)		613.2	//	880.3
Admissions for injury in under 18s (rate per 100,000)		1,192.5	//	1,340.8

Source: Public Health England, HSCIC © Copyright 2015

### Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015



Report - Ward: Shilbottle

Adults' lifestyle

Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese adults	1,085	//	70,044	9,983,436
Binge drinking adults	1,212	//	76,431	8,290,798
Healthy eating adults	1,065	//	62,161	11,907,157


Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Obese adults (%)	27	//	27.3	24.1
Binge drinking adults (%)	30.1	//	29.8	20
Healthy eating adults (%)	26.5	//	24.2	28.7

Source: Public Health England © Copyright 2010

Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



Report - Ward: Shilbottle

Emergency hospital admissions

Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD\*', 'stroke', 'MI\*', and 'COPD\*'.

Source: Public Health England, HSCIC © Copyright 2014


\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease

Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Emergency hospital admissions for all causes', 'CHD', 'stroke', 'MI', and 'COPD'.

Source: Public Health England, HSCIC © Copyright 2014

Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Shilbottle

Cancer incidence

Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England	
All cancer		166	//	9,643	1,335,034
Breast cancer		23	//	1,449	203,220
Colorectal cancer		24	//	1,263	165,022
Lung cancer		22	//	1,408	170,117
Prostate cancer		28	//	1,173	171,557

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams


Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England	
All cancer		100.2	//	101.4	100
Breast cancer		93.4	//	100.8	100
Colorectal cancer		114.9	//	106.4	100
Lung cancer		103.5	//	114.2	100
Prostate cancer		120.9	//	92.9	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)

■ Significantly better than England
 ■ Not significantly different
 ■ Significantly worse than England



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



Report - Ward: Shilbottle

Hospital admissions - harm and injury

Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include hospital stays for self harm, alcohol related harm, and emergency/elective admissions for hip and knee replacement.


Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include SARs for hospital stays and emergency/elective admissions for hip and knee replacement.

Source: Public Health England, HSCIC © Copyright 2014

Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014



Report - Ward: Shilbottle

Mortality and causes of death - all ages

Causes of deaths - all ages, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.


Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, All cancer, All circulatory disease, Coronary heart disease, Stroke, and Respiratory diseases.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014



Report - Ward: Shilbottle

Mortality and causes of death - premature mortality

Causes of deaths - premature mortality, numbers, 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014


Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Table with 5 columns: Indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include All causes, aged under 65; All causes, aged under 75; All cancer, aged under 75; All circulatory disease, aged under 75; and Coronary heart disease, aged under 75.

Source: Public Health England, produced from ONS data Copyright © 2014

Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)

Legend: Green square for 'Significantly better than England', Yellow square for 'Not significantly different', Red square for 'Significantly worse than England'.



Source: Public Health England, produced from ONS data Copyright © 2014



Modelled prevalence of young people who smoke

Modelled prevalence of young people who smoke, numbers

Table with 5 columns: indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'People aged 11-15 who occasionally smoke'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton


Modelled prevalence of young people who smoke, values

Table with 5 columns: indicator, Selection, Lower Tier Local Authority, Upper Tier Local Authority, and England. Rows include categories like 'Occasional smoker (% age 11-15)'.

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

Modelled prevalence of young people who smoke, Selection (comparing to England average)

Legend: Significantly better than England (green), Not significantly different (yellow), Significantly worse than England (red), England (grey)



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton





Report - Ward: Shilbottle

Life expectancy


Life expectancy at birth, years, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Northumberland)	England
Males	78.4	//	78.8	78.9
Females	85.7	//	82.2	82.8

Source: Public Health England, produced from ONS data Copyright © 2014

Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)

■ Significantly better than England    
 ■ Not significantly different    
 ■ Significantly worse than England    
 ■ England



Source: Public Health England, produced from ONS data Copyright © 2014