



Northumberland County Council

2023 Air Quality Annual Status Report (ASR)

In fulfilment of Part IV of the Environment Act 1995 Local Air Quality Management, as amended by the Environment Act 2021

Date: June, 2023

Document Details

Local Authority Officer	Gary Park - Environmental Protection Officer
Reviewing Officer	Wendy Stephenson – Principal Environmental Health Officer
Department	Environmental Protection Team
Address	Public Protection Service Northumberland County Council West Hartford Business Park Cramlington Northumberland NE23 3JP
Telephone	01670 623870
e-mail	public.protection@northumberland.gov.uk
Report Reference	NCC/AIRQUAL/ASR2023
Date	June 2023

ASR Template Details

Authors	Paul BENTLEY
Last Modified By	Jichu CHI
Company	Environment Agency
Revision number	1
Content Created	01/03/2023 16:52

Executive Summary: Air Quality in Our Area

Air Quality in Northumberland

Air pollution is associated with a number of adverse health impacts. It is recognised as a contributing factor in the onset of heart disease and cancer. Additionally, air pollution particularly affects the most vulnerable in society: children, the elderly, and those with existing heart and lung conditions. There is also often a strong correlation with equalities issues because areas with poor air quality are also often less affluent areas^{1,2}.

The mortality burden of air pollution within the UK is equivalent to 29,000 to 43,000 deaths at typical ages³, with a total estimated healthcare cost to the NHS and social care of £157 million in 2017⁴.

For several years in succession, the air quality in Northumberland has continued to meet the national air quality objectives and there appears to be a general downward trend in particulates at the Cowpen Road and Blyth Library sites. The apparent widespread drop in NO₂ levels detected in the eleven long-term diffusion tubes in 2020 would appear to be related to the reduction in road traffic because of Covid-19 lockdowns and restrictions. The 2022 diffusion tube results seem to indicate a not unexpected rebound from the 2020 and 2021 results. It may take a few more years of monitoring to see whether this is a resumption to pre-2020 concentrations or show some other trend.

The deployment of diffusion tubes (NO₂ and BTEX) has been successively reduced since local government reorganisation in 2009, due to long-term compliance. Northumberland no longer deploys any BTEX tubes.

PM₁₀ and PM_{2.5} trends for the Cowpen Road monitoring station have shown a significant rebound from the 2020 and 2021 levels, the data capture for the Blyth Library monitoring station was very limited and no interpretation of the results for this monitor are given.

Monitoring since 2007 has indicated a trend of decreasing nitrogen dioxide and particulate levels at our automatic monitoring stations. Continuous nitrogen dioxide monitoring ceased at the Blyth Library site in 2013 and at Cowpen Road site at the end of 2018. Please refer

¹ Public Health England. Air Quality: A Briefing for Directors of Public Health, 2017

² Defra. Air quality and social deprivation in the UK: an environmental inequalities analysis, 2006

³ Defra. Air quality appraisal: damage cost guidance, January 2023

⁴ Public Health England. Estimation of costs to the NHS and social care due to the health impacts of air pollution: summary report, May 2018

to previous Annual Status Reports (ASR) for Northumberland for information on monitored NO₂ levels and trends from those continuous monitors.

Air quality objectives for NO₂ and PM₁₀ continue to be met in Northumberland and potential locations with high road traffic volumes and relevant receptors are kept under review to inform future monitoring locations for diffusion tubes.

Air quality impacts are routinely addressed through engagement with the planning process, particularly where property developments involve significant changes in road traffic numbers. Generally, compliance with a Design Manual for Roads and Bridges (DMRB) air quality screening assessment is required as part of any such application submission following the Institute of Air Quality Management (IAQM) screening criteria.

The Blyth Air Quality Management Area (AQMA) declared for particulates (PM₁₀) was revoked in 2012. Northumberland currently has no declared Air Quality Management Areas (AQMA) and based upon current and historic monitoring results, this is unlikely to change.

Northumberland County Council's Environmental Protection Team previously participated in a Local Air Quality Partnership with Rio Tinto (and formerly Alcan) and the Environment Agency, the former being the operators of the only remaining coal-fired power station in Northumberland. The power station was sold to Energetický a Průmyslový Holding (EPH), a Czech-based company and has been converted to biomass with fuel deliveries to the plant commencing in March 2018. The Environment Agency are Regulators for the site, but it is hoped that a new air quality partnership will be formed at some stage.

In June 2019, Northumberland County Council declared a climate emergency and pledged to make the County carbon neutral by 2030 focusing on energy generation, energy consumption, emissions capture, policy and engagement. A Climate Change Action Plan is now in place to inform on the approach and measures being taken by the Council to address this:

<https://www.northumberland.gov.uk/Climate-Change/Climate-Change.aspx>

Although carbon dioxide does not form part of the LAQM process, there are associated benefits to the reduction of other atmospheric pollutants at a local level. These are principally associated with changes to fleet vehicles through; route optimisation, driver training and investment in newer and more efficient vehicles. These points are addressed separately in this report and are contained in Table 3.1.

Northumberland has no other individual, major commercial air pollution sources other than those controlled through the Environmental Permitting legislation (ie Combustion plant, Manufacture of wood based panels, Quarries, Solvent painting/coating Processes, Petrol Stations, etc.).

The main impact upon air quality within Northumberland is road traffic which we continue to monitor at a number of locations using either automatic or non-automatic methods.

Actions to Improve Air Quality

Whilst air quality has improved significantly in recent decades, there are some areas where local action is needed to protect people and the environment from the effects of air pollution.

The Environmental Improvement Plan⁵ sets out actions that will drive continued improvements to air quality and to meet the new national interim and long-term PM_{2.5} targets. The National Air Quality Strategy, due to be published in 2023, will provide more information on local authorities' responsibilities to work towards these new targets and reduce PM_{2.5} in their areas. The Road to Zero⁶ details the approach to reduce exhaust emissions from road transport through a number of mechanisms; this is extremely important given that the majority of Air Quality Management Areas (AQMAs) are designated due to elevated concentrations heavily influenced by transport emissions.

Below is a summary of the actions/projects in Northumberland which are likely to have a direct or indirect improvement in air quality. These are described in more detail in Section 3 of this report and a full list is contained in Table 3.1.

- **Northumberland Line** – restoration of a passenger rail service to some of the larger towns in south-east of Northumberland (Seaton Delaval, Blyth Newsham, Blyth Bebside, Bedlington and Ashington).

Major construction works have begun in 2022 on the Ashington branch railway line, work on four of the five stations in Northumberland has begun (Bebside station is being held back to another stage of the development) along with improvements to the railway infrastructure and bridges.

⁵ Defra. Environmental Improvement Plan 2023, January 2023

⁶ DfT. The Road to Zero: Next steps towards cleaner road transport and delivering our Industrial Strategy, July 2018

Currently the resumption of the passenger service is expected to begin in Summer 2024.

- **Transforming Cities Fund (TCF)** - a bid to central government for up to £377M for the north-east to include; £99m earmarked to help support the “Northumberland Line” project.
- **A1 Dualling in Northumberland** - Morpeth to Felton and Alnwick to Ellingham.
Dualling of the A1 Road north of Morpeth was planned to start in 2022, this is to be carried out by National Highways (formerly Highways England). However, any announcement on the project has been delayed until September 2023.
- **Taxi Fleets** – a regional approach to taxi fleets is to be consulted on and there are plans to establish a regional approach based on EURO standards (allowing for existing fleets) and determine emission standards for new taxis and for how long they will be required.
- **Biomass Appliances** – identification of commercial biomass appliances through the planning process and require additional information about them.
- **Planning Process** - requirement for an air quality assessment for larger applications where the IAQM trigger for vehicle flows Annual Average Daily Traffic (AADT) are exceeded.
- **Council Fleet Vehicles** - driver management systems installed to improve overall fuel consumption and emissions. This has now been extended to more fleet vehicles, including “pool cars”. All new fleet vehicles over 3.5 tonne to be either Euro 5 or 6.
- **Agile Working at Northumberland County Council** - enabling staff to work from alternative locations and reduce travel and therefore reduce emissions.
- **Northumberland County Council Local Transport Plan (2011-2026)** - commits the Council to reduce carbon emissions by 2020.
- **Traffic Regulation Orders for Moving Traffic (TROM)** - ongoing programme of introducing urban speed reduction areas in Northumberland with a consequential improvement in emissions from road vehicles.
- **New Air Quality Legislation**
On the 1 May 2021, The Air Quality (Domestic Solid Fuel Standards) (England) Regulations 2020 came into force, this places widespread controls over manufactured solid fuels and wood fuels (biomass).

- **Northumberland County Council School Run Initiatives**

Promoting alternatives to traditional car school run trips and improving local air quality around school sites through reduction in private car use and idling of vehicles.

Conclusions and Priorities

No exceedances for any objective for NO₂ (diffusion tubes), PM₁₀ or the unofficial “cap” limit for PM_{2.5} were identified in Northumberland during 2022. This has been the situation in Northumberland since at least the formation of the Northumberland unitary authority in 2009. Therefore, no detailed assessment for any pollutant has been identified.

Nitrogen dioxide and particulate levels (PM₁₀ and PM_{2.5}) trends have shown a slight increase over detected levels in 2020 and 2021 which could be a result of the ending of Covid-19 lockdowns and reduced transport movements in those years.

Northumberland has consistently met national Air Quality Objective (AQO) limits and as such there has been no impetus to develop any air quality action plans or strategies. Momentum now seems to be growing (in conjunction with other regional Authorities and Agencies), towards improving air quality above and beyond AQS limits.

It is envisaged that the Environmental Protection Team will play a pivotal role in future co-ordination of projects which have a positive improvement in air quality such as attending the North-East Combined Authority (NECA) air quality strategy meeting with Environmental Health professionals and transport planners.

Within the Public Protection Service Plan, there is a priority to proactively engage with internal and external partners to raise awareness of LAQM. We have already initiated engagement with the Director of Public Health for Northumberland, other council departments, agencies and groups to inform and influence decisions where air quality is a consideration.

Areas where further information may be needed are:

- Further engagement with the Director of Public Health, to raise awareness of air quality in relation to the Public Health Outcomes Framework.
- Engaging with other council departments to feed into projects or programmes which have any aspect relating to air quality.

- Raising public awareness of air quality issues through members of the public being able to contact the Environmental Protection Team for information and advice on air quality included on the Council website:

<http://www.northumberland.gov.uk/Protection/Pollution/Air.aspx>

Our webpage content in relation to air quality will be reviewed and updated again in 2023.

Northumberland County Council will continue to monitor particulates at the two air quality monitoring stations in Blyth and nitrogen dioxide through our network of diffusion tubes.

Local Engagement and How to Get Involved

Members of the public can contact the Environmental Protection Team for information and advice on air quality using the contact details in this report and further information is included on the Council website:

<http://www.northumberland.gov.uk/Protection/Pollution/Air.aspx>

Previous annual air quality reports can be found under the “Useful air quality documents” section on the webpage above. There is also a link on the website to live data from our two continuous particulate monitors at Blyth Library and on Cowpen Road, Blyth.

Local Responsibilities and Commitment

This ASR was prepared by the Environmental Protection Team of Northumberland County Council and was carried out completely internally within the Housing and Public Protection Service.

There is no internal requirement to have this ASR approved by anyone other than managers within the Housing and Public Protection Service and this ASR has not been signed off by the Director of Public Health.

If you have any comments on this ASR please send them to the Environmental Protection Team at:

Address: Environmental Protection Team, Housing and Public Protection Service,
Northumberland County Council, West Hartford Business Park, Cramlington,
Northumberland, NE23 3JP

Telephone: 01670 623870

Email: public.protection@northumberland.gov.uk

Table of Contents

Executive Summary: Air Quality in Our Area	i
Air Quality in Northumberland	i
Actions to Improve Air Quality	iii
Conclusions and Priorities	v
Local Engagement and How to Get Involved.....	vi
Local Responsibilities and Commitment	vi
1. Local Air Quality Management	1
2. DEFRA's Appraisal Comments for Northumberland's 2022 Annual Status Report.....	2
3. Actions to Improve Air Quality	4
Air Quality Management Areas	4
Progress and Impact of Measures to address Air Quality in Northumberland	5
PM _{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations	16
4. Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance.....	19
Summary of Monitoring Undertaken	19
4.1.1 Automatic Monitoring Sites.....	19
4.1.2 Non-Automatic Monitoring Sites.....	20
Individual Pollutants.....	20
4.1.3 Nitrogen Dioxide (NO ₂).....	20
4.1.4 Particulate Matter (PM ₁₀)	21
4.1.5 Particulate Matter (PM _{2.5}).....	21
4.1.6 Sulphur Dioxide (SO ₂)	22
Appendix A: Monitoring Results	23
Table A.1 – Details of Automatic Monitoring Sites	23
Table A.2 – Details of Non-Automatic Monitoring Sites	24
Table A.3 – Annual Mean NO ₂ Monitoring Results: Non-Automatic Monitoring (µg/m ³).....	25
Figure A.1 – Trends in Annual Mean NO ₂ Concentrations (µg/m ³)	26
Table A.4 – Annual Mean PM ₁₀ Monitoring Results (µg/m ³).....	27
Table A.5 – Blyth Library Particulates (PM ₁₀) - Air Quality Data Summary	28
Figure A.2 – Blyth Library Particulates (PM ₁₀) - Time Series Plot (µg/m ³)	28
Table A.6 – Cowpen Road Particulates (PM ₁₀) - Air Quality Data Summary	29
Figure A.3 – Cowpen Road Particulates (PM ₁₀) - Time Series Plot (µg/m ³)	29
Table A.7 – 24-Hour Mean PM ₁₀ Monitoring Results, Number of PM ₁₀ 24-Hour Means > 50µg/m ³ ..	31
Figure A.4 – Trends in Number of 24-Hour Mean PM ₁₀ Results > 50µg/m ³	32
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (µg/m ³)	33
Table A.9 – Blyth Library Particulates (PM _{2.5}) - Air Quality Data Summary	34
Figure A.5 – Blyth Library Fine Particulates (PM _{2.5}) - Time Series Plot (µg/m ³)	34
Table A.10 – Cowpen Road Particulates (PM _{2.5}) - Air Quality Data Summary	35
Figure A.6 – Cowpen Road Fine Particulates (PM _{2.5}) - Time Series Plot (µg/m ³)	35

Figure A.7 – Trends in Annual Mean PM _{2.5} Concentrations ($\mu\text{g}/\text{m}^3$)	36
Appendix B: Full Monthly Diffusion Tube Results for 2022.....	37
Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC	38
New or Changed Sources Identified Within Northumberland County Council During 2022.....	38
Additional Air Quality Works Undertaken by Northumberland County Council During 2022	38
QA/QC of Diffusion Tube Monitoring.....	38
Diffusion Tube Annualisation.....	39
Diffusion Tube Bias Adjustment Factors	39
Table C.1 – Bias Adjustment Factor.....	39
NO ₂ Fall-off with Distance from the Road	40
QA/QC of Automatic Monitoring.....	40
PM ₁₀ and PM _{2.5} Monitoring Adjustment	41
Automatic and Non-Automatic Monitoring Annualisation.....	41
NO ₂ Fall-off with Distance from the Road	41
Appendix D: Maps of Air Quality Monitoring Locations.....	42
Figure D.1 – Blyth Automatic and NO ₂ Diffusion Tube Monitoring Locations.....	42
Figure D.2 – Cowpen Automatic and NO ₂ Diffusion Tube Monitoring Locations	43
Figure D.3 – NO ₂ Diffusion Tube Monitoring Locations Across Northumberland.....	44
Figure D.4 – Alnwick NO ₂ Diffusion Tube Monitoring Locations.....	45
Figure D.5 – Morpeth NO ₂ Diffusion Tube Monitoring Locations.....	46
Figure D.6 – Ponteland NO ₂ Diffusion Tube Monitoring Location.....	47
Figure D.7 – East Cramlington NO ₂ Diffusion Tube Monitoring Locations	48
Figure D.8 – Berwick and Tweedmouth NO ₂ Diffusion Tube Monitoring Locations	49
Figure D.9 – Ashington NO ₂ Diffusion Tube Monitoring Locations.....	50
Figure D.10 – Bedlington NO ₂ Diffusion Tube Monitoring Locations.....	51
Figure D.11 – Hexham NO ₂ Diffusion Tube Monitoring Location	52
Figure D.12 – Haltwhistle NO ₂ Diffusion Tube Monitoring Location	53
Appendix E: Summary of Air Quality Objectives in England	54
Glossary of Terms.....	55
References.....	56

Figures

Figure A.1 – Trends in Annual Mean NO ₂ Concentrations (µg/m ³).....	26
Figure A.2 – Blyth Library Particulates (PM ₁₀) - Time Series Plot (µg/m ³)	28
Figure A.3 – Cowpen Road Particulates (PM ₁₀) - Time Series Plot (µg/m ³)	29
Figure A.4 – Trends in Number of 24-Hour Mean PM ₁₀ Results > 50µg/m ³	32
Figure A.5 – Blyth Library Fine Particulates (PM _{2.5}) - Time Series Plot (µg/m ³)	34
Figure A.6 – Cowpen Road Fine Particulates (PM _{2.5}) - Time Series Plot (µg/m ³).....	35
Figure A.7 – Trends in Annual Mean PM _{2.5} Concentrations (µg/m ³)	36

Tables

Table 3.1 – Progress on Measures to Improve Air Quality.....	14
Table A.1 – Details of Automatic Monitoring Sites.....	23
Table A.2 – Details of Non-Automatic Monitoring Sites.....	24
Table A.3 – Annual Mean NO ₂ Monitoring Results: Non-Automatic Monitoring (µg/m ³).....	25
Table A.4 – Annual Mean PM ₁₀ Monitoring Results (µg/m ³).....	27
Table A.5 – Blyth Library Particulates (PM ₁₀) - Air Quality Data Summary.....	28
Table A.6 – Cowpen Road Particulates (PM ₁₀) - Air Quality Data Summary.....	29
Table A.7 – 24-Hour Mean PM ₁₀ Monitoring Results, Number of PM ₁₀ 24-Hour Means > 50µg/m ³	31
Table A.8 – Annual Mean PM _{2.5} Monitoring Results (µg/m ³).....	33
Table A.9 – Blyth Library Particulates (PM _{2.5}) - Air Quality Data Summary.....	34
Table A.10 – Cowpen Road Particulates (PM _{2.5}) - Air Quality Data Summary.....	35
Table C.1 – Bias Adjustment Factor.....	40

Maps

Figure D.1 – Blyth Automatic and NO ₂ Diffusion Tube Monitoring Locations.....	43
Figure D.2 – Cowpen Automatic and NO ₂ Diffusion Tube Monitoring Locations.....	44
Figure D.3 – NO ₂ Diffusion Tube Monitoring Locations Across Northumberland.....	45
Figure D.4 – Alnwick NO ₂ Diffusion Tube Monitoring Locations.....	46
Figure D.5 – Morpeth NO ₂ Diffusion Tube Monitoring Locations.....	47
Figure D.6 – Ponteland NO ₂ Diffusion Tube Monitoring Location.....	48
Figure D.7 – East Cramlington NO ₂ Diffusion Tube Monitoring Locations.....	49
Figure D.8 – Berwick and Tweedmouth NO ₂ Diffusion Tube Monitoring Locations.....	50
Figure D.9 – Ashington NO ₂ Diffusion Tube Monitoring Locations.....	51
Figure D.10 – Bedlington NO ₂ Diffusion Tube Monitoring Locations.....	52
Figure D.11 – Hexham NO ₂ Diffusion Tube Monitoring Location.....	53
Figure D.12 – Haltwhistle NO ₂ Diffusion Tube Monitoring Location.....	54

1. Local Air Quality Management

This report provides an overview of air quality in Northumberland during 2022. It fulfils the requirements of Local Air Quality Management (LAQM) as set out in Part IV of the Environment Act (1995), as amended by the Environment Act (2021), and the relevant Policy and Technical Guidance documents.

The LAQM process places an obligation on all local authorities to regularly review and assess air quality in their areas, and to determine whether or not the air quality objectives are likely to be achieved. Where an exceedance is considered likely the local authority must declare an Air Quality Management Area (AQMA) and prepare an Air Quality Action Plan (AQAP) setting out the measures it intends to put in place in order to achieve and maintain the objectives and the dates by which each measure will be carried out. This Annual Status Report (ASR) is an annual requirement showing the strategies employed by Northumberland County Council to improve air quality and any progress that has been made.

The statutory air quality objectives applicable to LAQM in England are presented in Table E.1.

2. DEFRA's Appraisal Comments for Northumberland's 2022 Annual Status Report

Bureau Veritas on behalf of DEFRA made a number of comments on last year's report which are designed to help inform future reports and are listed below with our responses:

1. The report contains discussion of trends seen in monitored concentrations over 2021, which are illustrated through a number of detailed graphs. This is welcomed.

Acknowledged and appreciated.

2. A detailed description of the Councils actions to improve air quality across the county is included within the report. The Council makes clear their commitment to improving air quality both within and out with Northumberland and states their aim to engage with air quality issues in conjunction with other council departments and external partners. This is encouraged.

Acknowledged.

3. It is acknowledged that the implication of the pandemic resulted in a delay in several measures being actioned, and it is subsequently advised that the Council place focus during 2022 and beyond on measures which have stalled, to ensure these are progressed in the coming years and continue to report on progress in future ASR's.

Acknowledged.

4. Whilst a significant decline in concentrations has been identified in NCC during 2020 and 2021, it is acknowledged by the Councils that this decline is likely attributable to reduced traffic flows as a result of national lockdowns during the COVID-19 pandemic. The council plans to maintain their monitoring network until trends can be determined outwith the effects of the pandemic. This decision is considered appropriate.

Acknowledged.

5. PM₁₀ and PM_{2.5} are monitored within the County. The council also included the PHOF D01 within the report, this information is welcomed.

Acknowledged.

6. Appropriate maps are provided showing monitoring locations within the County. A County wide map is provided which effectively illustrates the distribution of monitoring sites within the area.

Acknowledged.

7. Overall, the report is thorough and well structure, the Council should continue their good work and submit an ASR in 2023.

Acknowledged and appreciated.

3. Actions to Improve Air Quality

Air Quality Management Areas

Air Quality Management Areas (AQMAs) are declared when there is an exceedance or likely exceedance of an air quality objective. After declaration, the authority should prepare an Air Quality Action Plan (AQAP) within 12 months setting out measures it intends to put in place in pursuit of compliance with the objectives.

Northumberland County Council does not have any Air Quality Management Areas and there is no current expectation that any would need to be declared in the county based upon current and previous air quality monitoring results.

Progress and Impact of Measures to address Air Quality in Northumberland

DEFRA's appraisal of last year's ASR concluded:

- The report is well structured, detailed, and provides the information specified in the Guidance. The report is considered an example of good practice.
- The Council are commended on their ability to maintain consistency in their air quality monitoring work during the course of the Covid-19 pandemic, which has resulted in excellent data capture for 2020.
- It is acknowledged that the implication of the pandemic has resulted in a delay in several measures being actioned, and it is subsequently advised that the Council place focus during 2021 and beyond on measures which have stalled, to ensure these are progressed in the coming years.
- On the basis of the evidence provided by the local authority the conclusions reached are **accepted** for all sources and pollutants. The next step is for Northumberland County Council to submit an Annual Status Report in 2022.

Northumberland County Council has taken forward a number of measures during and previously to 2022 in pursuit of improving local air quality. Details of all measures completed, in progress or planned are set out in Table 3.1.

However, please note that much of this information was presented previously in the 2022 ASR as the impact of Covid-19 upon the development and delivery of strategic and actual projects in 2020 and 2021 had been significant.

Northumberland County Council's priorities for the coming year are to proactively engage with and influence local decisions where local air quality impacts may be relevant.

Within the Public Health Protection Unit Service Delivery plan 2019/20, three of our key priorities were related directly to air improving air quality:

1. Protect and improve public health by proactively ensuring air quality within Northumberland meets national standards through the regulation of permitted industrial premises and the investigation of air pollution incidents.
2. To proactively engage with internal and external partners to raise awareness of Local Air Quality Management. Work in partnership with internal and external bodies to

positively influence compliance with National Air Quality Objectives in Northumberland.

3. Respond to planning consultations by the provision of expert technical advice on noise, air quality, land contamination, lighting & private water supplies and attend planning committees as required.

Below is a summary of some of the main actions and projects which improve air quality in Northumberland, please note that some of these projects are continuing ones and/or span a number of years and have been reported previously and will be in subsequent years. Where there are any specific air quality reported progress or milestones then these will be highlighted.

The Northumberland Line

This scheme is to reinstate passenger trains from Newcastle Central Station via Benton Junction on the East Coast Main Line (ECML) to Ashington town which last saw a rail passenger service in the late 1960s. This would connect six stations on this branch line (five in Northumberland) with the East Coast Main Line (ECML), the Metro service across Tyneside and with Newcastle Central Station.

The Ashington branch line was a former passenger line, currently only used for freight services to Lynemouth Power station (biomass fuel) and North Blyth/Cambois (mainly alumina). The following stations on this line are to be reopened or created:

Northumberland Park (North Tyneside Council), Seaton Delaval, Newsham, Bebside (although this station is being held back to another stage of the development), Bedlington and Ashington. This will provide a commuter rail service for people working in Northumberland who may wish to travel to Newcastle and so reduce the number of road vehicles making such trips. Approaching one thousand new car parking spaces are being provided at the stations in Northumberland with around five per cent being electric car charging spaces.

It is expected this will provide an accessible alternative to road transport into Newcastle for workers, shoppers and visitors, and therefore reducing the number of road vehicles travelling on roads to Newcastle and reducing the number of vehicles entering the proposed Clean Air Zone (CAZ) in Newcastle. It is also likely that users may include those wishing to travel between the towns in Northumberland which will have stations and the connection to the Newcastle Metro at Northumberland Park.

The Environmental Protection Team worked with the applicant to address the negative and positive air quality impacts associated with this development.

Late in 2021 an application for Transport and Works Act Order was submitted to Secretary of State along with an enquiry under the order. These stages have since passed and the scheme approved.

Although initially the trains will be diesel multiple units (DMUs) it is planned for these to be replaced with battery electric units in the future. The current outline timetable has train movements every half hour between 06:06 and 23:06 (at Ashington – the most northerly station) with a total of 32 trains per day in both directions.

Currently, it is expected that the passenger service will resume in summer 2024.

Further details of the progress of the scheme will be reported in subsequent annual status reports.

A1 Dualling – Morpeth to Felton and Alnwick to Ellingham

This project was reported upon in previous ASRs and since that time there has been a number of governmental delays to the start of the project.

A delay to the start of the project was made in January 2022 announcing that a statement would be made in June 2022, then in June a further postponement on a decision until December 2022 was announced, as of December 2022 there will be now be a statement on the project in September of 2023.

The air quality benefits of this project were discussed in previous ASRs and any progress will be detailed in the 2024 ASR subject to a decision in September 2023.

Further details of the progress of the scheme will be reported in subsequent annual status reports.

Taxis

Previously, Northumberland County Council's Licensing Team required that taxis are upgraded to Euro 5 emission standards.

From 1st April 2017 all new vehicles licensed by the Council had to meet the following requirements:

- The Euro 5 Technology standard in respect of passenger cars.
- The Euro 6 Technology standard in respect of light commercial vehicles

The Euro 5 standard now includes an emission limit for particulates.

At a meeting of the Licensing and Regulatory Committee held on Wednesday 23 October 2019 it was resolved that members approve the Licensing Authority to consult on the following proposed amendments to the Hackney Carriage and Private Hire Licensing Policy:-

1. New Licences. A four year vehicle age policy with effect from April 2020 for all newly licensed vehicles. This means the Euro 6 emissions standard applies from April 2020 to all new licences.
2. Existing Vehicles. Adopt a maximum 8 year vehicle life with a start date of April 2023. The taxi trade therefore has 4 years to comply (3 years from April 2020). This means that from April 2023, all diesel and petrol engines will need to be Euro 6.
4. Wheelchair Accessible Vehicles. Existing vehicles will have an extra 2 years added to the age restriction, meaning that April 2025 is the compliance date. As a consequence, it is possible that a relatively low number of wheelchair accessible vehicles will be Euro 5 between April 2023 to April 2025.
5. Full electric and zero emission at source, such vehicles would be exempt.

This was instigated by the North East Public Protection Partnership (NEPPP) asking the North East Strategic Licensing Group. (NESLG) to address the impact of taxi emissions on air quality and consider if the 12 participating local authorities could work together to progressively improve taxi vehicle exhaust emissions.

Biomass Appliances

The Environmental Protection Team, through their engagement with the planning process, identify planning applications which indicate a biomass combustion component (The Clean Air Act 1993).

The Environmental Protection Team, recommend the following biomass informative for all relevant planning applications:

“For solid fuel biomass appliances with a rated output of greater than 50kW, notification, approval of arrestment and chimney height approval is required under Section 14 of The Clean Air Act 1993 with the Public Protection service at Northumberland County Council. Operation of such an appliance, without agreement may be an offence under the Act. An information form is available to download, complete and return from:

<http://www.northumberland.gov.uk/Protection/Pollution/Pollution.aspx#pollutioncontrol-cleanairactapproval>.

Please note that this biomass boiler information and requirement does not form part of your application or the decision for your planning permission.”

New Air Quality Legislation

As discussed in the 2021 ASR, the Ready to Burn scheme has been introduced in the UK under The Air Quality (Domestic Solid Fuel Standards) (England) Regulations 2020.

This scheme effectively places the same controls of burning of domestic solid fuel as did the creation of “smoke control areas” under The Clean Air Act 1993. Additional controls have been placed upon wood fuels to limit the moisture content of these biomass fuels.

Enforcement is likely to fall to Trading Standards for point of sale and at place of manufacture and “environmental health” for any combustion of non-approved fuels.

Planning Process

Air quality assessments for larger developments usually include some assessment of air quality impacts, related to any short-term construction and long-term operation phases. These were previously assessed using the Design Manual for Roads and Bridges (DMRB) methodology until it’s withdrawal and subsequently replaced. Consultants have come in with similar screening assessments which have been acceptable.

The triggers for requiring an air quality assessment are contained in:

“Land-Use Planning & Development Control: Planning for Air Quality - Guidance from Environmental Protection UK and the Institute of Air Quality Management for the consideration of air quality within the land-use planning and development control processes. Environmental Protection UK & IAQM, May 2015 (v1.1)”

Other triggers are included in TAQM.22 such as those for assessing the impacts from trains/railways.

The government introduced new air quality legislation in 2021 covering the specification of wood fuels (among other things) and this is discussed elsewhere in this report.

Fleet Vehicles

Northumberland County Council employs three internal driver management systems (Ashwood’s Lightfoot, Masternaut and CMS’s SupaTrak), which are intended to reduce air emissions by attempting to modify driving styles in their fleet vehicles. These can give voice warnings to the driver where inappropriate driving has occurred (poor gear choices, excessive acceleration etc.) and delivers reports to management where a violation occurs and/or tracks vehicles movements.

The Council's vehicle fleet replacement program also requires all new vehicles over 3.5 tonne to conform to either Euro 5 or Euro 6 emission standard.

Agile Working at Northumberland County Council

Northumberland County Council is promoting alternative ways of delivering its services and one of the fundamental changes it is adopting is to allow its staff to work in non-traditional ways. It issued a new Policy in January 2017.

The background to agile working is:

“Agile working is a way of working in which an organisation empowers its people to work where, when and how they choose – with maximum flexibility and minimum constraints – to optimise their performance and deliver value and customer service.

It uses communications and information technology to enable people to work in ways, which best suit their needs without the traditional limitations of where and when tasks must be performed.

It is based on the concept that work is an activity we do, rather than a place we go. With the technology available to modern business, there are numerous tools to help us work in new and different ways, to meet customer needs, reduce costs, increase productivity and improve sustainability.

Agile working is a transformational tool to allow organisations to work smarter by eliminating all barriers to working efficiently.”

This is being enabled by providing computer hardware and software which enables access to software and systems to allow normal work to be carried out onsite (ie on inspections, visits) and/or at alternative work locations or even at home.

This has the potential of reducing the distances that staff are required to travel and with a result in reducing fuel consumption and emissions to air.

This is an ongoing project and, as the moment, there is no measurable performance indicator for this.

However, since the 23 March 2020 most Council staff have been working from home and still continue to do so in 2022 as a result of Covid-19 with a significant drop in vehicle journeys to and from a place of work and for attending internal/external meetings and training. Although as of the end of 2021, a number of teams had resumed attendance at offices, this is often not at full staffing levels and on a rota basis. During 2022, a number of council services within Northumberland County Council (such as Public Protection) are still mostly working from home.

The Northumberland County Council Local Transport Plan (2011-2026)

This is available at:

<http://www.northumberland.gov.uk/Highways/Transport-policy/Transport-plan.aspx>

Among other air quality related issues, the LTP commits Northumberland County Council to:

“...reducing carbon emissions by 2020, however CO2 emissions from road transport in the North East are forecast to increase. The need to maintain the current good air quality in the county and ensure it is not put at risk by transport emissions”.

Traffic Regulation Orders for Moving Traffic (TROM)

Northumberland has imposed a number of speed restrictions and one-way traffic controls in 2022 which should all benefit air quality. These include:

- Four new 20 mph speed restrictions (most located at or near to schools).
- Two new 30 mph speed restrictions.
- One new 40 mph speed restrictions.
- One new 50 mph speed restrictions.
- Three new multiple speed restriction schemes.
- Two other speed/access restriction schemes (some of these are exclusive pedestrian and/or cycle zones including around schools at certain times).

Details can be found on the following web page:

<http://www.northumberland.gov.uk/Highways/Roads/Traffic.aspx>

Ongoing Traffic Projects

These include:

- Specified HGV routing for quarries / surface mines and timber haulage routes.
- Replacement taxis to meet Euro 5 emissions limits (mandatory from 1st April 2017).
- Promotion and support of homeworking and agile working for staff in council departments.
- Parking enforcement in town centres including rural market towns.
- Fleet vehicles fitted with driving style modifiers / reporting systems (Lightfoot, Masternaut, SupaTrak etc.).
- Offering MOT Vehicles emission testing for Council employees and non-employees.

School Initiatives

A number of initiatives have been developed and are being pursued to dissuade private car “school runs” and promote alternatives to reduce traffic issues around school and improve local air quality around them.

Northumberland County Council are promoting a number of initiatives which are being targeted at alternatives to “drop-off” and “pick-up” trips to schools in Northumberland.

These include:

- Go Smarter Northumberland - works closely with schools across the county to reduce car dependency for the school journey, more information can be found at:
<http://www.gosmarter.co.uk/>
- Modeshift STARS – is a national sustainable travel scheme, funded by the DfT where schools can work towards a bronze, silver, or gold accreditation, more information can be found at:
<http://modeshiftstars.org/>
- Car free days - includes banning cars around schools for one day to highlight the benefits of sustainable travel.
- School Street Closures - working with the Highways team at Northumberland County Council to investigate Traffic Regulation Orders. This is to prohibit cars from entering specific streets at certain times of the day. Closing the street outside of schools will ensure that the air will be less polluted, as well as making the area safer for children.
- Anti-idling campaigns - to discourage any antisocial behaviour near schools and improve local air quality.
- Walking initiatives - encouraging the ‘Park and Stride’, and 5 minute walking zone initiatives to help keep the immediate area outside of schools free from traffic and improve local air quality.

Northumberland County Council have also published a Sustainable Modes of Travel Strategy (SMOT) as a requirement of the Education and Inspections Act 2006.

<https://www.northumberland.gov.uk/NorthumberlandCountyCouncil/media/Document-store/School%20Transport/Sustainable-Modes-of-Transport-Strategy-Sep-12.pdf>

The SMOT contains information relating to educational travel in Northumberland and provides a resource for parents and schools.

The strategy aims to promote the use of sustainable modes of travel for the school journey and sets out what we are doing as an authority to support this.

Northumberland County Council are also promoting green initiatives such as living walls to help absorb air pollution which can also be educational for children, as well as environmentally friendly.

Forecast of Progress

Northumberland County Council will continue with its established network of air quality monitoring and expects to once again meet air quality objectives across the County in 2022.

Funding Sources

No external sources of funding are used in the management of our local air quality management function.

Table 3.1 – Progress on Measures to Improve Air Quality

Measure No.	Measure	Category	Classification	Year Measure Introduced in AQAP	Estimated / Actual Completion Date	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
1	For special events (Morpeth Gathering & Fair Day, Tall Ships at Blyth)	Alternatives to private vehicle use	Bus based Park & Ride	Unknown	2021	NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	N/A	On going	/
2	HGV routing used by the LPA for some quarries / surface mine schemes	Freight and Delivery Management	Route Management Plans/ Strategic routing strategy for HGV's	Unknown	2022	NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	N/A	On going	/
3	All taxis to be EURO 5	Promoting Low Emission Transport	Taxi emission incentives		2015	NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	Complete conversion of taxi fleets to Euro 5	42826	http://www.northumberland.gov.uk/Business/Licences/Taxi.aspx
4	Home working some departments (such as IT)	Promoting Travel Alternatives	Promoting Travel Alternatives	2017/18		NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	/
5	Go Smarter	Promoting Travel Alternatives	Personalised Travel Planning			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	2015/16	From LSTF funding. http://gosmarter.co.uk/
6	Go Smarter, Cyclescheme offering VAT free cycles with up to 50% of prices with salary sacrifice scheme	Promoting Travel Alternatives	Promotion of cycling			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	http://gosmarter.co.uk/
7	Go Smarter promoting Modeshift STARS	Promoting Travel Alternatives	School Travel Plans			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	http://modeshiftstars.org/
8	Travel planner and cycle routes	Public Information	Via the Internet			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	http://www.northumberland.gov.uk/Highways/Cycling.aspx
9	Informal anti-idling policy through taxi licensing	Traffic Management	Anti-idling enforcement			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	/
10	20mph zones imposed in many residential areas especially surrounding schools	Traffic Management	Reduction of speed limits, 20mph zones			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	/	On going	http://www.northumberland.gov.uk/Highways/Roads/Traffic.aspx#4trafficregulationorderprepared
11	Parking enforcement on highways carried out by Council	Traffic Management	Workplace Parking Levy, Parking Enforcement on highway			NCC	Unknown	NO	Unknown	Unknown	Unknown	/	/	On going	http://www.northumberland.gov.uk/Highways/Parking.aspx#civilparkingenforcement
12	Several cycle networks, including; Coast & Castles, Pennine Cycleway, Reivers Route and Hadrian's	Transport Planning and Infrastructure	Cycle network			NCC	Unknown	NO	Unknown	Unknown	Unknown	/	/	On going	http://www.northumberland.gov.uk/Highways/Cycling.aspx

Measure No.	Measure	Category	Classification	Year Measure Introduced in AQAP	Estimated / Actual Completion Date	Organisations Involved	Funding Source	Defra AQ Grant Funding	Funding Status	Estimated Cost of Measure	Measure Status	Reduction in Pollutant / Emission from Measure	Key Performance Indicator	Progress to Date	Comments / Barriers to Implementation
	Cycleway. Several others which aren't part of the Sustrans network.														
13	Over 110 fleet vehicles fitted with Ashwoods Lightfoot to encourage more efficient driving styles.	Vehicle Fleet Efficiency	Driver training and ECO driving aids			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	N/A	On going	https://www.lightfoot.co.uk/case-study/northumberland-county-council
14	Over 800 fleet vehicles fitted with Masternaut vehicle tracking	Vehicle Fleet Efficiency	Driver training and ECO driving aids			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	N/A	On going	http://www.masternaut.com/
15	Bid for Euro 6 buses	Vehicle Fleet Efficiency	Promoting Low Emission Public Transport			NECA	Unknown	NO	Unknown	Unknown	Unknown	/	/	On going	http://www.simplygo.com/news/greener-cleaner-buses-for-go-north-east/
16	Vehicle emission testing as part of fleet MOT testing, all taxis and service to public	Vehicle Fleet Efficiency	Testing Vehicle Emissions			NCC	Unknown	NO	Unknown	Unknown	Unknown	/	N/A	On going	http://www.northumberland.gov.uk/Highways/Roads/Commercial.aspx#mottesting
17	Proactively engage with internal and external partners to raise awareness of Local Air Quality Management	Public Information	Via other mechanisms			NCC	Unknown	NO	Unknown	Unknown	Unknown	/	Internal KPI / Stakeholder Engagement Day	Annual	/
18	Agile working for NCC staff	Promoting Travel Alternatives	Encourage / Facilitate home-working			NCC	Unknown	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions	N/A	On going	/
19	Liaise with the Director for Public Health for Northumberland on issues and measures to improve AQ	Other Policy	Policy Guidance and Development Control	N/A		NCC	Unknown	NO	Unknown	Unknown	Unknown	/	N/A	On going	http://www.northumberland.gov.uk/NorthumberlandCountyCouncil/media/JSNA/strategy%20documents/DPH-Annual-Report-Northumberland-2016-3.pdf
20	Northumberland Line	Promoting Travel Alternatives				NCC	NCC / Central Government	NO	Unknown	Unknown	Unknown	Reduced vehicle emissions		2022/23 (Phase 1) 2024 (Phase 2)	https://www.northumberland.gov.uk/Highways/Transport-policy/northumberland-line.aspx
21	A1 Dualling	Transport Planning and Infrastructure	Other			Highways England	Highways England / Central Government	NO	Unknown	Unknown	Unknown			2024/25	https://highwaysengland.co.uk/projects/morpeth-to-ellingham-dualling/
22	Sustainable transport for schools	Promoting Travel Alternatives	School Travel Plans	2022		NCC	NCC / External	NO	Unknown	Unknown	Unknown	/		On going	https://www.northumberland.gov.uk/Education/Schools/School-transport-1/Sustainable.aspx

PM_{2.5} – Local Authority Approach to Reducing Emissions and/or Concentrations

As detailed in Policy Guidance LAQM.PG16 (Chapter 7), local authorities are expected to work towards reducing emissions and/or concentrations of PM_{2.5} (particulate matter with an aerodynamic diameter of 2.5µm or less). There is clear evidence that PM_{2.5} has a significant impact on human health, including premature mortality, allergic reactions, and cardiovascular diseases.

Key indicators of the state of public health have been developed through the Public Health Outcomes Framework (PHOF) following the Health and Social Care Act 2012. The Public Health Outcomes Framework data tool, compiled by the Office for Health Improvement and Disparities (formerly Public Health England). The data which was accessed and reviewed for last year's ASR seems to have been changed and a new method indicator is presented for "concentrations of total PM_{2.5}", the results for comparison are:

Fraction of mortality attributable to particulate air pollution (old method) 2021:

- 3.8% (Northumberland) 4.8% (NE Region) 5.5% (UK)

Air pollution: fine particulate matter (historic indicator) 2020:

- 4.1% (Northumberland) 4.8% (NE Region) 6.9% (UK)

Fraction of mortality attributable to particulate air pollution (new method) 2021:

- 3.8% (Northumberland) 4.8% (NE Region) 5.5% (UK)

Air pollution: fine particulate matter (new method - concentrations of total PM_{2.5}) 2021:

- 5.1% (Northumberland) 6.4% (NE Region) 7.4% (UK)

For Northumberland, this represents around 10,000 deaths per year attributable to fine particulate air pollution in 2021. The trend in deaths associated with this indicator has been downward since 2010 although the decrease has been less pronounced at the national level than in Northumberland or the North East Region. From 2010 to 2019 the modelling suggests a drop in some 2300 deaths attributable to fine particulate pollution over this nine-year period.

Within the national Air Quality Objectives an annual mean limit of 20 µg/m³ is cited for England, however this appears to be taken from para 25 of The Air Quality Standards Regulations 2010 which is a duty of the Secretary of State to limit exposure to PM_{2.5}.

Within the county of Northumberland, the annual “cap” limit of 25 $\mu\text{g}/\text{m}^3$ is comfortably met at the roadside of one of the county’s busiest urban roads (A193 - Cowpen Road, Blyth).

The Authority invested in new monitoring equipment in 2013 in anticipation that monitoring of $\text{PM}_{2.5}$ was to become a statutory requirement of LAQM. However, as TG22 (April 2021) states:

“It is acknowledged that many local authorities do not presently monitor $\text{PM}_{2.5}$ concentrations within their local authority area; $\text{PM}_{2.5}$ is still not at present incorporated into LAQM Regulations, and therefore there is no statutory requirement to review and assess $\text{PM}_{2.5}$ for LAQM purposes (except in Scotland). An increase in local authorities monitoring $\text{PM}_{2.5}$ across the UK is desirable given the links to the Public Health Outcomes Frameworks, however, it is recognised that the costs involved can be prohibitive.”

Northumberland County Council is taking the following measures to address $\text{PM}_{2.5}$:

- Continuing to monitor $\text{PM}_{2.5}$ at specific locations in Northumberland
- Reporting the levels of $\text{PM}_{2.5}$ at these locations on an annual basis.
- Monitoring for any exceedance of the “cap” limit of 25 $\mu\text{g}/\text{m}^3$.
- Continuing to instigate and support initiatives which directly or indirectly improve air quality within Northumberland and especially those which may impact fine particulates.
- Initiate better engagement with the Director of Public Health in Northumberland and look towards better integration of air quality and the Public Health Outcomes Framework.

Additionally, thirty-eight smoke control areas were created historically in the former districts and boroughs of Northumberland including the whole of the south-east area (former Wansbeck and Blyth Valley areas). This is the most populated part of Northumberland with some 46 percent of the county’s population within this area.

With the introduction of The Air Quality (Domestic Solid Fuels Standards) (England) Regulations 2020, solid manufactured fuels can only be burned on domestic fires if they comply with being smokeless and are certified under the regulations. Wood fuels are also controlled in respect of their moisture content. This effectively replicates the impact the creation of smoke controls areas would have and makes the whole of England an effective

smoke control area. This will undoubtedly have a positive impact upon emissions of fine particulates in coal burning locations not already covered by any smoke control areas.

Seven years of PM_{2.5} monitoring data adjacent to Cowpen Road and Blyth Library has shown compliance with the “cap” limit of 25 µg/m³ and also compliance with the stricter 10 µg/m³ objective imposed in Scotland.

DEFRA background maps for PM_{2.5} (2022 modelled data) provide a useful tool for looking at the rest of the County as a whole, which correlates with our approach that there is no significant PM_{2.5} levels in Northumberland and there are no modelled levels above 10 µg/m³ in county (maximum 7.8 µg/m³).

This position may be revised if the reviewing and assessing of PM_{2.5} become a statutory requirement.

4. Air Quality Monitoring Data and Comparison with Air Quality Objectives and National Compliance

This section sets out the monitoring undertaken within 2022 by Northumberland County Council and how it compares with the relevant air quality objectives. In addition, monitoring results are presented as a five-year period (2018 and 2022) or data trends as a nine-year period (2015 to 2022) to allow monitoring trends to be identified and discussed.

Summary of Monitoring Undertaken

4.1.1 Automatic Monitoring Sites

Northumberland County Council undertook automatic, continuous monitoring at two sites during 2022. Table A.1 in Appendix A shows the details of the automatic monitoring sites.

The two continuous particulate monitors are located at the Cowpen Road (CR) and Blyth Library (BL) sites, both instruments have comprehensive service contracts in place and are returned to Turnkey Instruments for service and calibration annually.

These are indicative monitors and were, in part, purchased to replace older equipment specifically when it was indicated that monitoring of PM_{2.5} was to become a statutory requirement by local authorities in England. The suitability of these monitors is discussed in Appendix C.

Data capture for the Blyth Library and Cowpen Road sites in 2022 was 10.6 and 99.99 per cent, respectively. The poor data capture for the Blyth Library site was as a result of an intermittent electricity supply issue which has now been rectified.

At very short notice, Ricardo AEA informed us that DEFRA had decided to discontinue PAH monitoring at Lynemouth for which we provided LSO support. This monitor formed part of the AURN network for that pollutant group.

The Digitel (solid phase) monitor was removed in June 2022 but monitoring results up to that date can still be accessed at:

https://uk-air.defra.gov.uk/networks/site-info?uka_id=UKA00556

Maps showing the location of the monitoring sites are provided in Appendix D. Further details on how the monitors are calibrated and how the data has been adjusted are included in Appendix C.

4.1.2 Non-Automatic Monitoring Sites

Northumberland County Council deployed passive diffusion tube monitoring NO₂ at nineteen sites during 2022, these locations have remained unchanged since 2018.

Table A.2 in Appendix A presents the details of the non-automatic sites.

Maps showing the location of all monitoring sites are provided in Appendix D.

Further details on Quality Assurance/Quality Control (QA/QC) for the diffusion tubes, including bias adjustments and any other adjustments applied (e.g. annualisation and/or distance correction), are included in Appendix C.

Individual Pollutants

The air quality monitoring results presented in this section are, where relevant, adjusted for bias, annualisation (where the annual mean data capture is below 75% and greater than 25%), and distance correction. Further details on adjustments are provided in Appendix C.

4.1.3 Nitrogen Dioxide (NO₂)

Northumberland County Council decommissioned its one remaining automatic nitrogen dioxide monitor (Teledyne API200E) at the Cowpen Road site in 2019 because of ongoing instrument problems. This was discussed in the 2019 Annual Status Report.

Data from this instrument is no longer presented or discussed in this or subsequent annual reports.

For diffusion tubes, the full 2022 dataset of monthly mean values is provided in Appendix B.

None of the diffusion tube monitoring locations exceeded the national Air Quality Objective, with the highest bias-adjusted result being 25 µg/m³. This diffusion tube location (Cowpen Road west) is collocated with the Cowpen Road Osiris particulate monitor. This was also the location of the highest result in 2021. This monitoring location is beside the A192 (Cowpen Road) which has the highest traffic flows (c.17k AADF) of any urban road with relevant receptors in Northumberland.

The bias-adjusted diffusion tube results for 2022 are well below the annual mean objective of 40 µg/m³.

The bias-adjusted diffusion tube results for 2022 do not exceed 60 µg/m³, which would indicate a potential exceed of the nitrogen dioxide 1-hour mean objective.

For diffusion tubes, the full 2022 dataset of monthly mean values is provided in Table A.3 in Appendix A.

4.1.4 Particulate Matter (PM₁₀)

The measured annual mean for the Cowpen Road Osiris in 2022 was 13.3 $\mu\text{g}/\text{m}^3$.

The number of measured exceedances of the 24-hour mean objective (50 $\mu\text{g}/\text{m}^3$) for the Cowpen Road Osiris in 2022 was sixteen.

The annual mean for the Blyth Library Osiris in 2022 was 5.0 $\mu\text{g}/\text{m}^3$, however because of the limited data capture this result is only representative of that short period of data capture.

The number of measured exceedances of the 24-hour mean objective (50 $\mu\text{g}/\text{m}^3$) for the Blyth Library Osiris in 2022 was zero, however because of the limited data capture this result is only representative of that short period of data capture.

The annual mean objective for this pollutant is 40 $\mu\text{g}/\text{m}^3$ and the 24-hour mean objective for this pollutant is no more than thirty-five exceeds of 50 $\mu\text{g}/\text{m}^3$.

Data capture for the Blyth Library site was only 10.6 per cent because of an issue with the power supply to the unit which has now been rectified.

The long-term trends in PM₁₀ monitoring for the Cowpen Road site only, suggest a “bounce back” from levels during Covid-19 restrictions and lockdowns in 2020 and 2021.

The monitoring at these two sites shows a continuing compliance with the national Air Quality Objectives for annual mean and 24-hour mean for PM₁₀ particulates, although less weight can be attached to the results from the Blyth Library site because of the limited data capture.

Table A.4 in Appendix A compares the ratified and adjusted monitored PM₁₀ annual mean concentrations for the past five years with the air quality objective of 40 $\mu\text{g}/\text{m}^3$.

Table A.3 in Appendix A compares the ratified continuous monitored PM₁₀ daily mean concentrations for the past five years with the air quality objective of 50 $\mu\text{g}/\text{m}^3$, not to be exceeded more than 35 times per year.

4.1.5 Particulate Matter (PM_{2.5})

The measured annual mean for the Cowpen Road Osiris in 2022 was 7.6 $\mu\text{g}/\text{m}^3$.

The measured annual mean for the Blyth Library Osiris in 2022 was $2.6 \mu\text{g}/\text{m}^3$, however because of the limited data capture this result is only representative of that short period of data capture.

The unofficial “cap” annual mean objective for $\text{PM}_{2.5}$ in England is $25 \mu\text{g}/\text{m}^3$.

The long-term trends in $\text{PM}_{2.5}$ monitoring for the Cowpen Road site only, suggest a “bounce back” from levels during Covid-19 restrictions and lockdowns in 2020 and 2021.

Table A.4 in Appendix A presents the ratified and adjusted monitored $\text{PM}_{2.5}$ annual mean concentrations for the past five years.

Data capture for the Blyth Library site was only 10.6 per cent because of an issue with the power supply to the unit which has now been rectified.

The monitoring at these two sites shows a continuing compliance with the national Air Quality Objectives for annual mean and 24-hour mean for PM_{10} particulates, although less weight can be attached to the results from the Blyth Library site because of the limited data capture.

These results are substantially below the “cap” limit of $25 \mu\text{g}/\text{m}^3$ and below the stricter limit of $10 \mu\text{g}/\text{m}^3$ set in Scotland for $\text{PM}_{2.5}$.

4.1.6 Sulphur Dioxide (SO_2)

Northumberland County Council no longer routinely monitors sulphur dioxide within the county.

Appendix A: Monitoring Results

Table A.1 – Details of Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Pollutants Monitored	In AQMA? Which AQMA?	Monitoring Technique	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Inlet Height (m)
BL	Blyth Library	Urban Centre	431536	581531	PM ₁₀ ; PM _{2.5}	NO	Nephelometer	3	3	3
CR	Cowpen Road	Roadside	428817	581815	PM ₁₀ ; PM _{2.5}	NO	Nephelometer	3	3	3

Notes:

(1) 0m if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable

Table A.2 – Details of Non-Automatic Monitoring Sites

Site ID	Site Name	Site Type	X OS Grid Ref	Y OS Grid Ref	Pollutants Monitored	In AQMA?	Distance to Relevant Exposure (m) ⁽¹⁾	Distance to kerb of nearest road (m) ⁽²⁾	Tube collocated with a Continuous Analyser?	Height (m)
8N	Bondgate Without, Alnwick	Roadside	419025	613070	NO ₂	NO	2	2	NO	3
B1	Waterloo Road, Blyth	Urban Centre	431537	581537	NO ₂	NO	28	1	NO	3
B3	Cowpen Rd. West, Blyth	Roadside	428815	581813	NO ₂	NO	13.5	2	NO	3
BER1	32 Castlegate, Berwick	Roadside	399596	653213	NO ₂	NO	1	2	NO	1.5
B11	Blyth YCMA, Blyth	Urban Centre	431160	581415	NO ₂	NO	2	1	NO	3
CM8	Entrance to Cecil Court, Ponteland	Urban Centre	416820	572840	NO ₂	NO	21	1.5	NO	3
B15	South Newsham Road, Blyth	Roadside	430552	578950	NO ₂	NO	8	1.7	NO	3
C1	High Pit Road, Cramlington	Roadside	427593	576555	NO ₂	NO	4	1.7	NO	3
BER2	Prince Edward Road, Tweedmouth	Roadside	399345	625512	NO ₂	NO	11	1	NO	2.5
HEX1	4 Haugh Lane, Hexham	Roadside	393684	564214	NO ₂	NO	1	1.5	NO	2
C11	Storey Street (B1505), Cramlington	Roadside	427523	576136	NO ₂	NO	8	1.7	NO	3
CM2	Newgate St, Morpeth	Roadside	419525	586380	NO ₂	NO	1	1	NO	1.5
CM4	Bridge St, Morpeth	Roadside	419947	585937	NO ₂	NO	70	3	NO	3
CM5	Thorpe Ave, Morpeth	Roadside	420134	586329	NO ₂	NO	9	1.7	NO	2
HALT1	Westgate Road, Haltwhistle	Roadside	370647	564060	NO ₂	NO	17	1	NO	1.5
B16	24 Cowpen Road	Roadside	430666	581604	NO ₂	NO	7	2	NO	2
W17	Front Street East, Bedlington	Urban Centre	426014	581879	NO ₂	NO	20	1	NO	3
W21	Newbiggin Road, Ashington	Roadside	427939	586210	NO ₂	NO	5	1	NO	2.5
SD1	Salvation Army, Seaton Delaval	Roadside	430387	575433	NO ₂	NO	6	1.7	NO	3

Notes:

(1) Zero metres if the monitoring site is at a location of exposure (e.g. installed on the façade of a residential property).

(2) N/A if not applicable.

Table A.3 – Annual Mean NO₂ Monitoring Results: Non-Automatic Monitoring (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Monitoring Type	Valid Data Capture for Monitoring Period (%) ¹	Valid Data Capture for 2022 (%) ²	NO ₂ Annual Mean Concentration(µm/m ³) ^{3 4}				
							2018	2019	2020	2021	2022
8N	419025	613070	Roadside	Diffusion Tube	N/A	91.7	31.3	24.7	16.8	21.1	21.3
B1	431537	581537	Urban Centre	Diffusion Tube	N/A	100.0	31.4	27.8	21.5	25.3	25.3
B3	428815	581813	Roadside	Diffusion Tube	N/A	100.0	22.3	31.0	22.4	29.3	28.4
BER1	399596	653213	Roadside	Diffusion Tube	N/A	100.0	N/A	16.6	13.3	14.2	12.8
B11	431160	581415	Urban Centre	Diffusion Tube	N/A	100.0	26.8	21.2	16.9	19.6	19.3
CM8	416820	572840	Urban Centre	Diffusion Tube	N/A	100.0	18.2	17.9	12.5	15.3	13.5
B15	430552	578950	Roadside	Diffusion Tube	N/A	100.0	22.0	17.2	11.4	14.2	14.4
C1	427593	576555	Roadside	Diffusion Tube	N/A	100.0	23.2	23.2	17.8	21.3	19.4
BER2	399345	625512	Roadside	Diffusion Tube	N/A	100.0	N/A	13.5	9.3	10.8	10.7
HEX1	393684	564214	Roadside	Diffusion Tube	N/A	100.0	N/A	28.0	21.1	23.8	23.2
C11	427523	576136	Roadside	Diffusion Tube	N/A	100.0	15.9	19.1	13.1	17.6	15.8
CM2	419525	586380	Roadside	Diffusion Tube	N/A	100.0	24.7	14.3	10.1	11.8	10.9
CM4	419947	585937	Roadside	Diffusion Tube	N/A	100.0	26.3	19.4	12.7	18.1	16.6
CM5	420134	586329	Roadside	Diffusion Tube	N/A	100.0	22.0	15.8	11.5	13.8	13.2
HALT1	370647	564060	Roadside	Diffusion Tube	N/A	100.0	N/A	12.6	9.5	10.6	9.7
B16	430666	581604	Roadside	Diffusion Tube	N/A	91.7	N/A	23.7	18.5	22.3	22.1
W17	426014	581879	Urban Centre	Diffusion Tube	N/A	91.7	24.0	22.3	16.3	18.9	20.0
W21	427939	586210	Roadside	Diffusion Tube	N/A	100.0	23.9	20.2	16.5	18.0	17.9
SD1	430387	575433	Roadside	Diffusion Tube	N/A	100.0	22.8	22.0	16.7	20.7	19.6

Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.

Diffusion tube data has been bias adjusted.

Reported concentrations are those at the location of the monitoring site (bias adjusted and annualised, as required), i.e. prior to any fall-off with distance correction.

Notes:

The annual mean concentrations are presented as µg/m³.

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

Means for diffusion tubes have been corrected for bias. All means have been “annualised” as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

Concentrations are those at the location of monitoring and not those following any fall-off with distance adjustment.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.1 – Trends in Annual Mean NO₂ Concentrations
 (µg/m³)




Table A.4 – Annual Mean PM₁₀ Monitoring Results (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ¹	Valid Data Capture for 2022 (%) ²	PM ₁₀ Annual Mean Concentration(µm/m3) ^{3 4}				
						2018	2019	2020	2021	2022
BL	431536	581531	Urban Centre	N/A	86.3	15.5 (16.5)	14.3 (13.3)	13.6 (13.1)	10.4	5.0
CR	428817	581815	Roadside	N/A	26.9	15.6	16.2	12.2	8.3 (8.7)	13.3

Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.

Notes:

The annual mean concentrations are presented as µg/m³.

Exceedances of the PM₁₀ annual mean objective of 40µg/m³ are shown in **bold**.

All means have been “annualised” as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.5 – Blyth Library Particulates (PM₁₀) - Air Quality Data

Summary

	PM ₁₀
Number Very High	0
Number High	0
Number Moderate	2
Number Low	310
Maximum 15-minute Mean	29.7 $\mu\text{g}/\text{m}^3$
Maximum Hourly Mean	27.0 $\mu\text{g}/\text{m}^3$
Maximum running 8-hour Mean	20.8 $\mu\text{g}/\text{m}^3$
Maximum running 24-hour Mean	14.5 $\mu\text{g}/\text{m}^3$
Maximum Daily Mean	86.2 $\mu\text{g}/\text{m}^3$
90.4th Percentile (PM) - Daily	31.0 $\mu\text{g}/\text{m}^3$
Average	5.0 $\mu\text{g}/\text{m}^3$
Data Capture	10.6 %

Hourly Time Series Plots

Figure A.2 – Blyth Library Particulates (PM₁₀) - Time Series Plot ($\mu\text{g}/\text{m}^3$)




Table A.6 – Cowpen Road Particulates (PM₁₀) - Air Quality Data

Summary

	PM ₁₀
Number Very High	0
Number High	0
Number Moderate	4
Number Low	360
Maximum 15-minute Mean	84.8 µg/m ³
Maximum Hourly Mean	65.6 µg/m ³
Maximum running 8-hour Mean	57.1 µg/m ³
Maximum running 24-hour Mean	51.1 µg/m ³
Maximum Daily Mean	51.1 µg/m ³
90.4th Percentile (PM) - Daily	-
Average	13.3 µg/m ³
Data Capture	100.0 %

Hourly Time Series Plots

Figure A.3 – Cowpen Road Particulates (PM₁₀) - Time Series Plot (µg/m³)




Figure A.2 – Trends in Annual Mean PM₁₀ Concentrations (µg/m³)




Table A.3 – 24-Hour Mean PM₁₀ Monitoring Results, Number of PM₁₀ 24-Hour Means > 50µg/m³

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) ¹	Valid Data Capture for 2022 (%) ²	PM ₁₀ 24-Hour Means > 50µg/m ³				
						2018	2019	2020	2021	2022
BL	431536	581531	Urban Centre	N/A	86.3	1 (28)	3 (26)	0 (27)	4	0
CR	428817	581815	Roadside	N/A	26.9	1	6	0	1 (13)	16


Notes:

Results are presented as the number of 24-hour periods where daily mean concentrations greater than 50µg/m³ have been recorded. Exceedances of the PM₁₀ 24-hour mean objective (50µg/m³ not to be exceeded more than 35 times/year) are shown in **bold**. If the period of valid data is less than 85%, the 90.4th percentile of 24-hour means is provided in brackets.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Figure A.3 – Trends in Number of 24-Hour Mean PM₁₀ Results > 50µg/m³



Note: Zero values are shown as a small bar (ie Blyth 2020 & 2022 and Cowpen 2016, 2017 and 2020).

Table A.4 – Annual Mean PM_{2.5} Monitoring Results (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Site Type	Valid Data Capture for Monitoring Period (%) 1	Valid Data Capture for 2022 (%) 2	PM _{2.5} Annual Mean Concentration (µg/m ³)				
						2018	2019	2020	2021	2022
BL	431536	581531	Urban Centre	N/A	10.6	7.3 (6.7)	8.0 (7.6)	5.7 (6.0)	5.2	2.6
CR	428817	581815	Roadside	N/A	100	6.7	7.2	6.8	6.1 (6.3)	7.6

Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.

Notes:

The annual mean concentrations are presented as µg/m³.

All means have been “annualised” as per LAQM.TG22 if valid data capture for the full calendar year is less than 75%. See Appendix C for details.

(1) Data capture for the monitoring period, in cases where monitoring was only carried out for part of the year.

(2) Data capture for the full calendar year (e.g. if monitoring was carried out for 6 months, the maximum data capture for the full calendar year is 50%).

Table A.9 – Blyth Library Particulates (PM_{2.5}) - Air Quality Data

Summary

	PM _{2.5}
Number Very High	1
Number High	4
Number Moderate	13
Number Low	293 $\mu\text{g}/\text{m}^3$
Maximum 15-minute Mean	25.7 $\mu\text{g}/\text{m}^3$
Maximum Hourly Mean	15.4 $\mu\text{g}/\text{m}^3$
Maximum running 8-hour Mean	15.2 $\mu\text{g}/\text{m}^3$
Maximum running 24-hour Mean	7.0 $\mu\text{g}/\text{m}^3$
Maximum Daily Mean	49.4 $\mu\text{g}/\text{m}^3$
90.4th Percentile (PM) - Daily	-
Average	2.6 $\mu\text{g}/\text{m}^3$
Data Capture	10.6 %

Hourly Time Series Plots

Figure A.5 – Blyth Library Fine Particulates (PM_{2.5}) - Time Series Plot ($\mu\text{g}/\text{m}^3$)




Table A.10 – Cowpen Road Particulates (PM_{2.5}) - Air Quality

Data Summary

	PM _{2.5}
Number Very High	0
Number High	0
Number Moderate	0
Number Low	365 $\mu\text{g}/\text{m}^3$
Maximum 15-minute Mean	49.6 $\mu\text{g}/\text{m}^3$
Maximum Hourly Mean	47.4 $\mu\text{g}/\text{m}^3$
Maximum running 8-hour Mean	33.7 $\mu\text{g}/\text{m}^3$
Maximum running 24-hour Mean	29.4 $\mu\text{g}/\text{m}^3$
Maximum Daily Mean	29.4 $\mu\text{g}/\text{m}^3$
90.4th Percentile (PM) - Daily	-
Average	7.6 $\mu\text{g}/\text{m}^3$
Data Capture	100.0 %

Hourly Time Series Plots

Figure A.6 – Cowpen Road Fine Particulates (PM_{2.5}) - Time Series Plot ($\mu\text{g}/\text{m}^3$)





Figure A.7 – Trends in Annual Mean PM_{2.5} Concentrations (µg/m³)



Appendix B: Full Monthly Diffusion Tube Results for 2022

Table B.1 – NO₂ 2022 Diffusion Tube Results (µg/m³)

Site ID	X OS Grid Ref (Easting)	Y OS Grid Ref (Northing)	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Mean: Raw Data	Annual Mean: Annualised and Bias Adjusted (x.x)	Annual Mean: Distance Corrected to Nearest Exposure
8N - Alnwick	419025	613070	30.5	29.1	34.5	24.6	23.8	25.6	29.5	26.2	25.5	29.5	25.6	32.5	28.1	21.3	20.3
B1	431537	581537	42.5	38.7	39.0	28.4	25.6	24.9	27.8	30.2	31.4	36.0	38.1	37.5	33.3	25.3	20.6
B3	428815	581813	43.0	38.5	41.4	29.1	30.4	32.0	35.8	38.8	35.3	40.7	42.6	41.6	37.4	28.4	25.0
BER1 - Berwick	399596	653213	10.4	10.5	25.1	23.9	17.0	12.7	18.0	18.5	16.7	13.5	19.1	16.4	16.8	12.8	12.5
B11	431160	581415	30.8	23.5	32.2	28.1	23.9	19.6	19.7	23.2	21.0	25.7	26.0	31.7	25.5	19.3	18.4
CM8 - Ponteland	416820	572840	16.3	16.8	29.1	19.1	15.5	13.1	15.5	17.6	17.1	16.8		17.8	17.7	13.5	11.9
B15	430552	578950	19.5	17.5	24.9	15.3	12.4	13.0	15.9	15.9	13.0	25.0	29.2	25.3	18.9	14.4	13.2
C1	427593	576555	18.4	20.6	39.2	27.6	21.2	16.4	22.0	25.1	20.5	23.8	38.5	33.2	25.5	19.4	18.3
BER2 - Tweedmouth	399345	625512	12.7	11.9	19.9	16.1	12.9	11.2	13.1	13.6	12.0	13.0	19.4	13.0	14.1	10.7	9.8
HEX1 - Hexham	393684	564214	33.4	29.3	38.2	29.8	27.9	24.4	26.9	28.5	28.0			39.0	30.5	23.2	19.9
C11	427523	576136	12.7	10.7	36.4	25.3	18.2	14.6	19.4	21.9	16.7	18.7	28.7	25.5	20.7	15.8	14.8
CM2	419525	586380	11.7	11.5	23.3	15.9	10.2	9.2	10.6	10.1	11.7	16.2	21.4	20.5	14.4	10.9	10.6
CM4	419947	585937	17.7	16.6	32.7	27.7	17.9	14.1	18.5	21.9	19.0	21.0	25.7	29.0	21.8	16.6	13.4
CM5	420134	586329	7.3	14.5	25.2	16.8	13.2	12.5	14.6	16.8	15.4	18.5	26.7	26.4	17.3	13.2	11.9
Halt1 - Haltwhistle	370647	564060	16.4	12.4	16.0	12.7	9.7	8.8	10.1	10.6	11.2	11.1	14.4	19.1	12.7	9.7	8.3
B17	430666	581604	26.4	27.0	43.0	32.8	22.0	21.5	25.6	24.4	25.5	29.3	37.2	34.1	29.1	22.1	20.3
W17	426014	581879	30.1	23.6	34.6	23.5		20.8	22.1	23.5	19.6	28.8	31.8	30.5	26.3	20.0	16.4
W21	427939	586210	28.4	24.7	33.0	18.5	18.6	18.6	17.4	17.8	16.8	27.2	30.1	31.3	23.5	17.9	16.2
SD1	430387	575433	29.8	23.0	34.3	24.5	21.4	18.7	22.5	22.6	23.0	25.2	33.9	31.1	25.8	19.6	18.2

- All erroneous data has been removed from the NO₂ diffusion tube dataset presented in Table B.1.
- Annualisation has been conducted where data capture is <75% and >25% in line with LAQM.TG22.
- Local bias adjustment factor used.
- National bias adjustment factor used.
- Where applicable, data has been distance corrected for relevant exposure in the final column.
- Northumberland County Council confirm that all 2022 diffusion tube data has been uploaded to the Diffusion Tube Data Entry System.

Notes:

Exceedances of the NO₂ annual mean objective of 40µg/m³ are shown in **bold**.

NO₂ annual means exceeding 60µg/m³, indicating a potential exceedance of the NO₂ 1-hour mean objective are shown in **bold and underlined**.

See Appendix C for details on bias adjustment and annualisation.

Appendix C: Supporting Technical Information / Air Quality Monitoring Data QA/QC

New or Changed Sources Identified Within Northumberland County Council During 2022

Northumberland County Council has not identified any new sources relating to air quality within the reporting year of 2022.

Additional Air Quality Works Undertaken by Northumberland County Council During 2022

Northumberland County Council has not completed any additional works within the reporting year of 2022.

QA/QC of Diffusion Tube Monitoring

The supplier of Northumberland County Council's diffusion tubes for the whole of 2022 was SOCOTEC Didcot and the tubes were prepared using the 50 per cent TEA in water method.

The diffusion tubes in Northumberland County Council were collected/deployed within one day of the dates contained within the 2022 Diffusion Tube Monitoring Calendar.

SOCOTEC Didcot take part in the AIR NO₂ Proficiency Testing Scheme (AIR-PT) and for the two quarters of 2022 when the diffusion tubes from Northumberland County Council were analysed, they achieved:

January – February 2022 (AIR PT AR049) – 100 per cent

May – June 2022 (AIR PT AR043) – 100 per cent

Subsequent reports are not provided on the DEFRA LAQM website.

From: https://laqm.defra.gov.uk/wp-content/uploads/2022/07/LAQM-NO2-Performance-data_Up-to-June-2022_V2.1.pdf

Diffusion Tube Annualisation

All diffusion tube monitoring locations within Northumberland County Council recorded data capture of 75% therefore it was not required to annualise any monitoring data. In addition, any sites with a data capture below 25% do not require annualisation.

Diffusion Tube Bias Adjustment Factors

The diffusion tube data presented within the 2022 ASR have been corrected for bias using an adjustment factor. Bias represents the overall tendency of the diffusion tubes to under or over-read relative to the reference chemiluminescence analyser. LAQM.TG22 provides guidance with regard to the application of a bias adjustment factor to correct diffusion tube monitoring. Triplicate co-location studies can be used to determine a local bias factor based on the comparison of diffusion tube results with data taken from NO_x/NO₂ continuous analysers. Alternatively, the national database of diffusion tube co-location surveys provides bias factors for the relevant laboratory and preparation method.

Northumberland County Council have applied a national bias adjustment factor of 0.76 to the 2022 monitoring data (bias adjustment spreadsheet version 03/23), available at:

<https://laqm.defra.gov.uk/air-quality/air-quality-assessment/national-bias/>

A summary of bias adjustment factors used by Northumberland County Council over the past five years is presented in **Error! Reference source not found.**

Northumberland County Council no longer operate any continuous NO₂ analysers or employ any multiple diffusion tubes at any sites and therefore cannot derive any local bias adjustments.

Table C.1 – Bias Adjustment Factor

Monitoring Year	Local or National	If National, Version of National Spreadsheet	Adjustment Factor
2017	National	03/18	0.77
2018	National	09/19	0.76
2019	National	06/20	0.75
2020	National	06/21	0.76
2021	National	06/22	0.78
2022	National	03/23	0.76

NO₂ Fall-off with Distance from the Road

No diffusion tube NO₂ monitoring locations within Northumberland County Council required distance correction during 2022 as there were no raw data or bias adjusted results above 36µg/m³, however distance corrected results to the nearest receptors have been presented in the DTDES and Table A.3 for completeness.

Distance correction was carried out using the NO₂ Fall Off with Distance from Roads Calculator v4.2 (Released: April 2016) and 2022 nitrogen dioxide background concentrations from the DEFRA UK Air background maps.

QA/QC of Automatic Monitoring

Local Site Operator (LSO) and Data Management

Both of these functions are carried out by officers within the Environmental Protection Team.

Diffusion Tubes are posted to an officer who deploys and collects them and returns them by post and the results are emailed by SOCOTEC to the Environmental Protection Team.

Data from both the Osiris particulate monitors are automatically uploaded to data servers via 3G modems and data can be viewed or downloaded from a dedicated website (<https://www.airqweb.co.uk/>) Anyone can access this website and view historic data from our two Osiris monitors.

Data from the Osiris monitors requires no additional processing to ratify the data, with the exception of annualisation where necessary. The data presented in the ASR is “ratified” in that it requires no further processing.

Data processing is carried out by officers in the Environmental Protection Team who have a number of years of experience collecting and processing air quality data and preparing the annual air quality reports to DEFRA.

Turnkey Instruments Osiris Particulate Monitors

Both the Osiris monitors have comprehensive service agreements with Turnkey Instruments and the units are returned to them annually for service and calibration. Any issues in-between these annual services and calibrations are dealt with by Turnkeys technical support team who can either access the monitors remotely, advise the LSO on any steps to take or return to Turnkey for a resolution. The only other LSO responsibility is

to change the pre-filter on the monitors every few months or when the unit indicates the mass on the filters has exceeded a trigger level for attention.

The Osiris particulate monitors are not “accredited” by DEFRA and were not considered as candidate instruments in the DEFRA UK equivalence program, however the DEFRA equivalence scheme is now almost 17 years old and not relevant to many particulate monitors now commercially available.

Osiris monitors from unit TNO2296 onwards are MCerts certified in the measurement range of 0 to 100 $\mu\text{g}/\text{m}^3$ (Sira MC090157/05).

Turnkey have carried out their own demonstration of equivalence of the Osiris monitors for PM_{10} in accordance with CEN EN 12341:

<https://turnkey-instruments.com/wp-content/uploads/2018/06/Osiris-PM10-Equivalence.pdf>

This has shown that “...the expanded relative uncertainty of the OSIRIS instruments when compared to the CEN reference method is 15.7%. This is much better than the 25% maximum measurement uncertainty required to meet the performance requirements of the EU Air Quality Directive 2008/50/EC”.

PM_{10} and $\text{PM}_{2.5}$ Monitoring Adjustment

The Osiris particulate monitors (PM_{10} and $\text{PM}_{2.5}$) deployed within the Northumberland County Council area do not require the application of any correction factors or any adjustments to the downloaded data.

Automatic and Non-Automatic Monitoring Annualisation

The Blyth Library Osiris particulate monitor only obtained 10.6 per cent data capture in 2022. Following TG22, this data capture fell below 25 per cent and therefore no annualization was carried out for this data.

The Cowpen Road Osiris obtained 99.99 per cent data collection and therefore did not require any adjustment.

None of the diffusion tubes collected less than nine months of data, in fact the lowest collection period was ten months for one tube location, and therefore following TG22 no annualisation of this dataset was required.

NO_2 Fall-off with Distance from the Road

Northumberland County Council no longer operate any continuous nitrogen dioxide analysers.

Appendix D: Maps of Air Quality Monitoring Locations

Figure D.1 – Blyth Automatic and NO₂ Diffusion Tube Monitoring Locations




Figure D.2 – Cowpen Automatic and NO₂ Diffusion Tube Monitoring Locations




Figure D.3 – NO₂ Diffusion Tube Monitoring Locations Across Northumberland



Figure D.4 – Alnwick NO₂ Diffusion Tube Monitoring Locations




Figure D.5 – Morpeth NO₂ Diffusion Tube Monitoring Locations




Figure D.6 – Ponteland NO₂ Diffusion Tube Monitoring Location




Figure D.7 – East Cramlington NO₂ Diffusion Tube Monitoring Locations




Figure D.8 – Berwick and Tweedmouth NO₂ Diffusion Tube Monitoring Locations



Figure D.9 – Ashington NO₂ Diffusion Tube Monitoring Locations




Figure D.10 – Bedlington NO₂ Diffusion Tube Monitoring Locations




Figure D.11 – Hexham NO₂ Diffusion Tube Monitoring Location



Figure D.12 – Haltwhistle NO₂ Diffusion Tube Monitoring Location



Appendix E: Summary of Air Quality Objectives in England

Table E.1 – Air Quality Objectives in England⁷

Pollutant	Air Quality Objective: Concentration	Air Quality Objective: Measured as
Nitrogen Dioxide (NO ₂)	200µg/m ³ not to be exceeded more than 18 times a year	1-hour mean
Nitrogen Dioxide (NO ₂)	40µg/m ³	Annual mean
Particulate Matter (PM ₁₀)	50µg/m ³ , not to be exceeded more than 35 times a year	24-hour mean
Particulate Matter (PM ₁₀)	40µg/m ³	Annual mean
Particulate Matter (PM _{2.5})	25µg/m ³	Annual mean
Particulate Matter (PM _{2.5}) - Urban Areas	Target of 15% reduction in concentrations in urban background	Annual mean
Sulphur Dioxide (SO ₂)	350µg/m ³ , not to be exceeded more than 24 times a year	1-hour mean
Sulphur Dioxide (SO ₂)	125µg/m ³ , not to be exceeded more than 3 times a year	24-hour mean
Sulphur Dioxide (SO ₂)	266µg/m ³ , not to be exceeded more than 35 times a year	15-minute mean

⁷ The units are in microgrammes of pollutant per cubic metre of air (µg/m³).

Glossary of Terms

Abbreviation	Description
AM	Annual Mean
AQAP	Air Quality Action Plan - A detailed description of measures, outcomes, achievement dates and implementation methods, showing how the local authority intends to achieve air quality limit values'
AQMA	Air Quality Management Area – An area where air pollutant concentrations exceed / are likely to exceed the relevant air quality objectives. AQMAs are declared for specific pollutants and objectives
AQO	Air Quality Objectives, sometimes referred to as the Air Quality Standards (AQS)
ASR	Annual Status Report (for air quality)
AURN	Automatic Urban Rural Network
BAM	Beta Attenuation Monitor
BTEX	Benzene, Toluene, Ethylbenzene and Xylene
DEFRA	Department for Environment, Food and Rural Affairs
DMRB	Design Manual for Roads and Bridges – includes an air quality screening tool produced by Highways England
EU	European Union
FDMS	Filter Dynamics Measurement System
IAQM	Institute of Air Quality Management
LAQM	Local Air Quality Management
LGR	Local Government Reorganisation
LOGN	Normal logarithmic value – log-normal
LSO	Local Site Operatives
LTP	Local Transport Plan
NO	Nitrous Oxide
NO₂	Nitrogen Dioxide
NO_x	Nitrogen Oxides
PAH	Poly-Aromatic Hydrocarbons
PM	Period Mean
PM₁₀	Airborne particulate matter with an aerodynamic diameter of 10 μm (micrometres or microns) or less
PM_{2.5}	Airborne particulate matter with an aerodynamic diameter of 2.5 μm or less
QA/QC	Quality Assurance / Quality Control
SO₂	Sulphur Dioxide
...	...

References

- AEA Energy & Environment Document “Diffusion Tubes for Ambient NO₂ Monitoring: Practical Guidance for Laboratories and Users.” Ref: ED48673043, Issue 1a, February 2008. Available at:
http://laqm.defra.gov.uk/documents/0802141004_NO2_WG_PracticalGuidance_Issue1a.pdf
- Demonstration of Equivalence of Osiris at PM₁₀, available at:
<https://turnkey-instruments.com/wp-content/uploads/2018/06/Osiris-PM10-Equivalence.pdf>
(Accessed 14/08/2020)
- Demonstration of the Equivalence of PM_{2.5} and PM₁₀ Measurement Methods in Kupio 2014-2015, Jari Walden, Tuomas Walden, Sisko Laurila, Hannele Hakola, Finnish Meteorological Institute, 2017:1, available at
http://expo.fmi.fi/ages/public/PM_Equivalence_report_Kuopio_2017.pdf
(Accessed 14/08/2020)
- Local Air Quality Management Technical Guidance (LAQM.TG22), DEFRA, August 2022. Available at:
<https://laqm.defra.gov.uk/air-quality/featured/uk-regions-exc-london-technical-guidance/>
- Local Air Quality Management Policy Guidance (LAQM.PG22), DEFRA, August 2022. Available at:
<https://laqm.defra.gov.uk/air-quality/featured/england-exc-london-policy-guidance/>
- MCERTS Certified Products: Indicative Ambient Particulate Monitors, Issue 24 Updated 08/01/2020, available at
<https://www.csagroupuk.org/services/mcerts/mcerts-product-certification/mcerts-certified-products/mcerts-certified-products-indicative-ambient-particulate-monitors/>
(Accessed 10/05/2023)
- Public Health Outcomes Framework - Particulate Air Pollution – County & UAs (pre-Apr 19 / 2019-20 / 2020-21 / 2021-22 & 2022-23 / from Apr 2023):
<https://fingertips.phe.org.uk/search/particulate%20air%20pollution#page/1/gid/1/ati/402/iid/93861/age/230/sex/4/cat/-1/ctp/-1/yr/1/cid/4/tbm/1/page-options/ovw-do-0>
(Last accessed 28/06/2023)

- The National Diffusion Tube Bias Adjustment Factors Spreadsheet (v.03/23).

Available at:

<https://laqm.defra.gov.uk/air-quality/air-quality-assessment/national-bias/>

(Accessed 17/05/2023)

- Summary of Laboratory Performance in AIR NO2 Proficiency Testing Scheme (May 2020 – June 2022). Available at:

https://laqm.defra.gov.uk/wp-content/uploads/2022/07/LAQM-NO2-Performance-data_Up-to-June-2022_V2.1.pdf

(Last accessed 28/06/2023)